

CITY OF CLAREMONT  
NORTH CAROLINA  
ORDINANCE 05-24  
AN ORDINANCE TO AMEND TO THE CODE OF ORDINANCES  
OF THE CITY OF CLAREMONT  
TITLE 9, PLANNING AND COMMUNITY DEVELOPMENT  
CHAPTER 3, ZONING REGULATIONS  
ARTICLE M, WATERSHED PROTECTION RULES  
AND  
TITLE 9, PLANNING AND COMMUNITY DEVELOPMENT  
CHAPTER 8, WATERSHED PROTECTION RULES

WHEREAS, the City of Claremont proposes to amend the Zoning Ordinance to relocate the Watershed Protection Ordinance to Title 9, Chapter 8, and to update the ordinance to comply with NCDEQ standards;

WHEREAS, the Planning Board of the City of Claremont has considered the proposed amendment and recommended said amendment for approval by the City Council; and

WHEREAS, the Claremont Land Development Plan encourages Goal 3 -Promote quality design and stewardship of new and existing development; and

WHEREAS, City Council has conducted a public hearing to consider comments relative to the proposed amendment; and

WHEREAS, notification of the public hearing was duly published,

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF CLAREMONT,

That Title Nine (9), Chapter 3 Zoning, Article M and Title Nine (9), Chapter 8 are hereby amended by changing the ordinance as attached (new language appears as highlighted; deleted language and/or deleted sections appear as "strike-through").

Section 2. Consistency Statement.

City Council finds that the amendments as set forth in this Ordinance to Title 9, Chapter 3 Zoning, Article M, and Title 9, Chapter 8 are reasonable and in the public interest because they promote quality design and general welfare; and are consistent with the Land Development Plan's Future Land Use Goal 3 - Promote quality design and stewardship of new and existing development.

Section 3.

This ordinance shall be effective upon passage. Adopted on the 10th day of July 2023.

Shawn R. Brown

Shawn Brown, Mayor

ATTEST:

Wendy A. Helms

Wendy Helms, City Clerk

APPROVED AS TO FORM:

Robert M. Grant, Jr.

Robert M. Grant, Jr., City Attorney



CHAPTER 3  
Zoning Regulations

Article M  
Watershed Protection Rules

- ~~§ 9-3-211 Statutory authorization.~~
- ~~§ 9-3-212 Jurisdiction.~~
- ~~§ 9-3-213 Exceptions to applicability.~~
- ~~§ 9-3-214 Criminal penalties.~~
- ~~§ 9-3-215 Remedies.~~
- ~~§ 9-3-216 Severability.~~
- ~~§ 9-3-217 Effective date.~~
- ~~§ 9-3-218 Establishment of watershed areas.~~
- ~~§ 9-3-219 Watershed areas described.~~
- ~~§ 9-3-220 10/70 bonus permit.~~
- ~~§ 9-3-221 Cluster development.~~
- ~~§ 9-3-222 Buffer areas required.~~
- ~~§ 9-3-223 Rules governing interpretation of watershed area boundaries.~~
- ~~§ 9-3-224 Application of regulations.~~
- ~~§ 9-3-225 Existing development.~~
- ~~§ 9-3-226 Watershed protection permit.~~
- ~~§ 9-3-227 Building permit required.~~
- ~~§ 9-3-228 Public health, in general.~~
- ~~§ 9-3-229 Abatement.~~
- ~~§ 9-3-230 Watershed Administrator; duties thereof.~~
- ~~§ 9-3-231 Appeals from Watershed Administrator.~~
- ~~§ 9-3-232 Changes and amendments to the watershed protection rules.~~
- ~~§ 9-3-233 Public notice and hearing required.~~
- ~~§ 9-3-234 Establishment of Watershed Review Board.~~
- ~~§ 9-3-235 Powers and duties of Watershed Review Board.~~
- ~~§ 9-3-236 Special procedures regarding issuance of 10/70 bonus permit.~~
- ~~§ 9-3-237 Appeals from Watershed Review Board.~~
- ~~§ 9-3-238 Illicit discharges and connections.~~
- §§ 9-3-239 **211 through** 9-3-240 reserved.

CHAPTER 8  
Watershed Protection Rules

- § 9-8-1 DEFINITIONS**
- § 9-8-1.1 General Definitions**
- § 9-8-1.2 Word Interpretation**
- § 9-8-2 AUTHORITY AND GENERAL REGULATIONS**
- § 9-8-2.1 Authority and Enactment**
- § 9-8-2.2 Jurisdiction**
- § 9-8-2.3 Exceptions to Applicability**

- § 9-8-2.4 Repeal of Existing Watershed Ordinance
- § 9-8-2.5 Criminal Penalties
- § 9-8-2.6 Remedies
- § 9-8-2.7 Severability
- § 9-8-2.8 Effective Date
- § 9-8-3 SUBDIVISION REGULATIONS
- § 9-8-3.1 General Provisions
- § 9-8-3.2 Subdivision Application and Review Procedures
- § 9-8-3.3 Subdivision and Required Improvements
- § 9-8-3.4 Construction Procedures
- § 9-8-3.5 Penalties for Transferring Lots in Unapproved Subdivisions
- § 9-8-4 DEVELOPMENT REGULATIONS
- § 9-8-4.1 Establishment of Watershed Areas
- § 9-8-4.2 Watershed Areas – Allowed and Not Allowed Uses
- § 9-8-4.3 Watershed Areas – Density and Built -Upon Limits
- § 9-8-4.4 Density Averaging
- § 9-8-4.5 Cluster Development
- § 9-8-4.6 Vegetated Setbacks Required
- § 9-8-4.7 Application of Regulations
- § 9-8-4.8 Rules Governing the Interpretation of Watershed Area Boundaries
- § 9-8-4.9 Existing Development
- § 9-8-4.10 Watershed Protection Permit
- § 9-8-4.11 Building Permit Required
- § 9-8-4.12 Watershed Occupancy Permit
- § 9-8-5 PUBLIC HEALTH REGULATIONS
- § 9-8-5.1 Public Health, in general
- § 9-8-5.2 Abatement
- § 9-8-6 ADMINISTRATION, ENFORCEMENT AND APPEALS
- § 9-8-6.1 Watershed Administration and Duties thereof
- § 9-8-6.2 Appeal from the Watershed Administrator
- § 9-8-6.3 Changes and Amendments to the Watershed Protection Ordinance
- § 9-8-6.4 Public Notice and Hearing Required
- § 9-8-6.6 Rules of Conduct for Watershed Review Board Members
- § 9-8-6.7 Powers and Duties of the Watershed Review Board
- § 9-8-6.8 Appeals from the Watershed Review Board

## ARTICLE M

### Watershed Protection Rules

Sec. 9-3-211—Statutory authorization.

—The Legislature of the State of North Carolina has, in Chapter 160A, Article 8, Section 174, General Ordinance Authority; and in Chapter 143, Article 21, Watershed Protection Rules, (N.C.G.S. 143-214.5), delegated the responsibility and directed local governmental units in the state to adopt regulations designed to promote the public health, safety and general welfare of its citizenry. These rules are adopted pursuant to and in compliance with that delegation and directive. (Ord. of 12-7-04, No. 37-02)

Sec. 9-3-212—Jurisdiction.

—The provision of these rules shall apply within the areas designated as a public water supply watershed by the North Carolina Environmental Management Commission which are also within the corporate limits of the City of Claremont or within the extraterritorial planning jurisdiction of the City of Claremont as now or hereafter fixed and shall be defined and established as an overlay on the official zoning map. The watershed

overlay and all explanatory matter contained thereon accompany and are hereby made a part of these rules. (Ord. of 12-7-04, No. 37-02)

~~Sec. 9-3-213—Exceptions to applicability.~~

~~—1. Nothing contained herein shall repeal, modify, or amend any federal or state law or regulation, or any ordinance or regulation pertaining thereto except any ordinance which these regulations specifically replace; nor shall any provision of these rules amend, modify or restrict any provisions of the Code of Ordinances of the City of Claremont; however, the adoption of these rules shall and does amend any and all ordinances, resolutions, and regulations in effect in the City of Claremont at the time of the adoption of these rules that may be construed to impair or reduce the effectiveness of these rules or to conflict with any of their provisions.~~

~~—2. It is not intended that these regulations interfere with any easement, covenants, or other agreements between parties. However, if the provisions of these regulations impose greater restrictions or higher standards for the use of a building or land, then the provisions of these regulations shall control.~~

~~—3. Existing development, as defined in these rules, is not subject to the requirements of these rules. Expansions to structures classified as existing development must meet the requirements of these rules; however, the built-upon area of the existing development is not required to be included in the density calculations.~~

~~—4. If a non-conforming lot of record is not contiguous to any other lot owned by the same party, then that lot of record shall not be subject to the development restrictions of this chapter if it is developed for single family purposes. (Ord. of 12-7-04, No. 37-02)~~

~~Sec. 9-3-214—Criminal penalties.~~

~~—Any person violating any provisions of these rules shall be guilty of a misdemeanor and, upon conviction, shall be punished in accordance with N.C.G.S. 14-4. The maximum fine for each offense shall not exceed five hundred dollars (\$500.00). Each day that the violation continues shall constitute a separate offense. (Ord. of 12-7-04, No. 37-02)~~

~~Sec. 9-3-215—Remedies.~~

~~—1. If any subdivision, development, and/or land use is found to be in violation of these rules, the Claremont City Council may, in addition to all other remedies available either in law or in equity, institute a civil penalty in the amount of fifty dollars (\$50.00), action or proceedings to restrain, correct, or abate the violation; to prevent occupancy of the building, structure, or land; or to prevent any illegal act, conduct, business or use in or about the premises. In addition, the North Carolina Environmental Management Commission may assess civil penalties in accordance with N.C.G.S. 143-215.6(a). Each day that the violation continues shall constitute a separate offense.~~

~~—2. If the Watershed Administrator finds that any of the provisions of these rules are being violated, he or she shall notify in writing the person responsible for such violation, indicating the nature of the violation, and ordering the action necessary to correct it. He or she shall order discontinuance of the illegal use of land, buildings, or structures; removal of illegal buildings or structures, or of additions, alterations or structural changes thereto; discontinuance of any illegal work being done; or shall take any action authorized by these rules to ensure compliance with or to prevent violation of their provisions. If a ruling of the Watershed Administrator is questioned, the aggrieved party or parties may appeal such ruling to the Watershed Review Board. (Ord. of 12-7-04, No. 37-02)~~

~~Sec. 9-3-216—Severability.~~

~~—Should any section or provision of these rules be declared invalid or unconstitutional by any court of competent jurisdiction, the declaration shall not affect the validity of these rules as a whole or any part thereof that is not specifically declared to be invalid or unconstitutional. (Ord. of 12-7-04, No. 37-02)~~

~~Sec. 9-3-217—Effective date.~~

~~—These rules shall be effective as of October 1, 1993. (Ord. of 12-7-04, No. 37-02)~~

~~Sec. 9-3-218 Establishment of watershed areas.~~

~~— For purposes of these rules, the protected watershed of the City of Claremont and its extraterritorial planning jurisdiction are overlaid by the following district:~~

- ~~— 1. WS IV PA (Protected Area). (Ord. of 12-7-04, No. 37-02)~~

~~Sec. 9-3-219 Watershed areas described.~~

~~— WS IV Watershed Areas— Protected Area (WS IV PA). Only new development activities that require an erosion/sedimentation control plan under state law or approved local government program are required to meet the provisions of these rules when located in the WS IV protected area. In order to address a moderate to high land use intensity pattern, except as provided herein below, single family residential uses shall develop at a maximum of two (2) dwelling units per acre. Except as provided herein below, all other residential and non-residential development shall be allowed at a maximum of twenty-four percent (24%) built-upon area. A maximum of three (3) dwelling units per acre or thirty-six percent (36%) built-upon area is allowed for projects without a curb and gutter street system. In addition, non-residential uses may occupy ten percent (10%) of the protected area outside the Water Quality Critical Area with a seventy percent (70%) built-upon area when approved as a 10/70 bonus permit as provided for in Section 9-3-220, hereinafter.~~

~~— 1. Uses allowed.~~

~~— a. Agriculture, subject to the provisions of the Food Security Act of 1985 and the Food, Agricultural, Conservation and Trade Act of 1990.~~

~~— b. Silviculture, subject to the provisions of the Forest Practices Guidelines Related to Water Quality (15 NCAC 11.6101-.0209).~~

~~— c. Residential development.~~

~~— d. Non-residential development, excluding the storage of toxic and hazardous materials unless a spill containment plan is implemented.~~

~~— 2. Density and built-upon limits.~~

~~— a. Single family residential. Development shall not exceed two (2) dwelling units per acre, as defined on a project by project basis except for projects without a curb and gutter system. No residential lot shall be less than one-half (1/2) acre, or one-third (1/3) acre for projects without a curb and gutter system, except within an approved cluster development.~~

~~— b. All other residential and non-residential. Development shall not exceed twenty-four percent (24%) built-upon area on a project by project basis, except that, for projects without a curb and gutter street system, development shall not exceed thirty-six (36%) built-upon area on a project by project basis. For the purpose of calculating built-upon area, total project area shall include acreage in the tract on which the project is to be developed, and except that up to ten percent (10%) of the protected area of the watershed may be developed for non-residential uses to seventy percent (70%) built-upon area on a project by project basis subject to approval of a 10/70 bonus permit as provided for in Section 9-3-220, hereinafter. (Ord. of 12-7-04, No. 37-02)~~

~~Sec. 9-3-220 10/70 bonus permit.~~

~~— 1. In addition to the non-residential built-upon restrictions for the protected area of the WS-IV watershed as stated in Section 9-3-219, non-residential uses may occupy no more than ten percent (10%) of the protected area of the WS-IV watershed outside the water quality critical area, with a maximum of seventy percent (70%) built-upon area when approved as a 10/70 bonus permit. The 10/70 bonus permit shall be considered as a special-use permit that will be reviewed by the Watershed Review Board acting as a Board of Adjustment and be subject to all of the rules and procedures established in Section 9-3-236, hereinafter. Requests for a 10/70 bonus permit will be considered in order of receipt of completed applications. A 10/70 bonus permit shall be valid for two (2) years, and, if the development has not begun within that time period, the permit shall expire, and a reapplication cannot be made for an additional year.~~

~~— 2. In reviewing an application for a 10/70 bonus permit, the Watershed Review Board, acting as a Board of Adjustment, shall make the general findings of fact as set forth in Section 9-3-236.2, hereinafter. In addition, the Board shall rate and prioritize the property and its proposed development according to any or all~~

of the following pertinent factors:

- a. Whether the proposal is in conformance with the city's current land use plans;
- b. Whether the project is in close proximity to interstate, state primary, or other major thoroughfares;
- c. Whether the project is in close proximity to necessary utilities, such as water, sewer and natural gas or has made provision to access the same, as well as whether the project has good access to the major highway arteries, listed above;
- d. The likelihood of success of the proposed development based on site specific factors, such as, but not limited to, soil type, topography, distance to public utilities, and road access;
- e. Whether or not the proposed development is located inside the city limits;
- f. Projected increase in the city's assessed tax valuation;
- g. The ratio of projected capital investment relative to burden on the city's water and sewer infrastructure; and
- h. The extent to which the project minimizes built-upon surface area and directs storm water runoff away from surface waters. (Ord. of 12-7-04, No. 37-02; Ord. of 6-21-21, No. 41-21)

#### Sec. 9-3-221 Cluster development.

— Clustering of development is allowed under the following conditions:

- 1. Minimum lot sizes are not applicable to single family cluster development projects; however, the total number of lots shall not exceed the number of lots allowed for single family detached developments in Section 9-3-219. Built-upon area for the project shall not exceed that allowed for the watershed.
- 2. All built-upon area shall be designed and located to minimize stormwater runoff impact to the receiving waters and minimize concentrated stormwater flow.
- 3. The remainder of the tract shall remain in a vegetated or natural state. The title to the open space area shall be conveyed to an incorporated homeowners association for management; to a local government for preservation as a park or open space; or to a conservation organization for preservation in a permanent easement. (Ord. of 12-7-04, No. 37-02)

#### Sec. 9-3-222 Buffer areas required.

- 1. A minimum one hundred (100) foot vegetative buffer is required for all new development activities that exceed the low density option; otherwise, a minimum thirty (30) foot vegetative buffer for development activities is required along the stream bank of all perennial waters indicated on the most recent versions of USGS 1:24,000 (7.5 minute) scale topographic maps or as determined by local government studies. Desirable artificial stream bank or shoreline stabilization is permitted.
- 2. No new development is allowed in the buffer except for water dependent structures and public projects such as road crossings and greenways where no practical alternative exists. These activities should minimize built-upon surface area, direct runoff away from the surface waters and maximize the utilization of stormwater best management practices. (Ord. of 12-7-04, No. 37-02; Ord. of 1-5-15, No. 12-14)

#### Sec. 9-3-223 Rules governing the interpretation of watershed area boundaries.

— Where uncertainty exists as to the boundaries of the watershed areas, as shown on the watershed map, the following rules shall apply:

- 1. Where area boundaries are indicated as approximately following either street, alley, railroad, or highway lines or centerlines thereof, such lines shall be construed to be said boundaries.
- 2. Where area boundaries are indicated as approximately following lot lines, such lot lines shall be construed to be said boundaries. However, a surveyed plat prepared by a registered land surveyor may be submitted to the city as evidence that one or more properties along these boundaries do not lie within the watershed area.
- 3. Where the watershed area boundaries lie at a scaled distance more than twenty five (25) feet from any parallel lot line, the location of watershed area boundaries shall be determined by use of the scale appearing on the watershed map.
- 4. Where the watershed area boundaries lie at a scaled distance of twenty five (25) feet or less from any

parallel lot line, the location of watershed area boundaries shall be construed to be the lot line.

—5. Where other uncertainty exists, the Watershed Administrator shall interpret the watershed map as to location of such boundaries. This decision may be appealed to the Watershed Review Board. (Ord. of 12-7-04, No. 37-02)

~~Sec. 9-3-224 Application of regulations.~~

—1. No building or land shall hereafter be used and no development shall take place except in conformity with the regulations herein specified for the watershed area in which it is located.

—2. No area required for the purpose of complying with the provisions of these rules shall be included in the area required for another building. (Ord. of 12-7-04, No. 37-02)

~~Sec. 9-3-225 Existing development.~~

—Any existing development, as defined in these rules, may be continued and maintained subject to the provisions provided herein. Expansions to structures classified as existing development must meet the requirements of these rules; however, the built-upon area of the existing development is not required to be included in the density calculations.

—1. Vacant lots. This category consists of vacant lots for which plats or deeds have been recorded in the Office of the Register of Deeds of Catawba County. Lots may be used for any of the uses allowed in the watershed area in which it is located, even though the lot area is below the minimum specified in these rules.

—2. Uses of land. This category consists of uses existing at the time of adoption of these rules where such use of the land is not permitted to be established hereafter in the watershed area in which it is located. Such uses may be continued except as follows:

—a. When such use of land has been changed to an allowed use, it shall not thereafter revert to any prohibited use.

—b. Such use of land shall be changed only to an allowed use.

—c. When such use ceases for a period of at least one (1) year, it shall not be reestablished.

—3. Reconstruction of buildings or built-upon areas. Any existing building or built-upon area not in conformance with the restrictions of these rules that is damaged or removed may be repaired and/or reconstructed; however, repair or reconstruction must be initiated within twelve (12) months and completed within two (2) years of such damage. (Ord. of 12-7-04, No. 37-02)

~~Sec. 9-3-226 Watershed protection permit.~~

—1. Except where a single family residence is constructed on a lot deeded prior to the effective date of these rules, no building or built-upon area shall be erected, moved, enlarged or structurally altered, nor shall any building permit be issued, nor shall any change in the use of any building or land be made until a watershed protection permit has been issued by the Watershed Administrator. No watershed protection permit shall be issued except in conformity with the provisions of these rules.

—2. Watershed protection permit applications shall be filed with the Watershed Administrator. The application shall be part of the application for a zoning compliance permit.

—3. Prior to issuance of a watershed protection permit, the Watershed Administrator may consult with qualified personnel for assistance to determine if the application meets the requirements of these rules.

—4. A watershed protection permit, which shall be incorporated within the zoning compliance permit, shall expire if a building permit for such use is not obtained by the applicant within six (6) months from the date of issuance. (Ord. of 12-7-04, No. 37-02)

~~Sec. 9-3-227 Building permit required.~~

—No permit required under the North Carolina State Building Code shall be issued for any activity for which a watershed protection permit is required until that permit has been issued. (Ord. of 12-7-04, No. 37-02)

~~Sec. 9-3-228 Public health, in general.~~

—No activity, situation, structure or land use shall be allowed within the watershed which poses a threat to water quality and the public health, safety and welfare. Such conditions may arise from inadequate on-site



sewage systems which utilize ground absorption; inadequate sedimentation and erosion control measures; the improper storage or disposal of junk, trash or other refuse within a buffer area; the absence or improper implementation of a spill containment plan for toxic and hazardous materials; the improper management of stormwater runoff; or any other situation found to pose a threat to water quality. (Ord. of 12-7-04, No. 37-02)

~~Sec. 9-3-229—Abatement.~~

~~—1. The Watershed Administrator shall monitor land use activities within the watershed areas to identify situations that may pose a threat to water quality.~~

~~—2. The Watershed Administrator shall report all findings to the Watershed Review Board. The Watershed Administrator may consult with any public agency or official and request recommendations.~~

~~—3. Where the Watershed Review Board finds a threat to water quality and public health, safety and welfare, the Board shall institute any appropriate action or proceeding to restrain, correct or abate the condition and/or violation. (Ord. of 12-7-04, No. 37-02)~~

~~Sec. 9-3-230—Watershed Administrator; duties thereof.~~

~~—The City of Claremont shall appoint a Watershed Administrator, who shall be duly sworn in. It shall be the duty of the Watershed Administrator to administer and enforce the provisions of these rules as follows:~~

~~—1. The Watershed Administrator shall issue watershed protection permits as prescribed herein. A record of all permits shall be kept on file and shall be available for public inspection during regular office hours.~~

~~—2. The Watershed Administrator shall serve as clerk to the Watershed Review Board.~~

~~—3. The Watershed Administrator shall keep records of all amendments to the local water supply watershed protection rules and shall provide copies of all amendments upon adoption to the Division of Water Quality.~~

~~—4. The Watershed Administrator is granted the authority to administer and enforce the provisions of these rules. The Watershed Administrator, or his or her duly authorized representative, may enter any building, structure, or premises, as provided by law, to perform any duty imposed upon him or her by these rules.~~

~~—5. The Watershed Administrator shall keep a record of variances to the local water supply watershed protection rules. This record shall be submitted each calendar year to the Division of Water Quality on or before January 1 of the following calendar year and shall provide a description of each project receiving a variance and the reasons for granting the variance.~~

~~—6. The Watershed Administrator shall keep records of the city's utilization of the provision that a maximum of ten percent (10%) of the non-critical area of the WS-IV protected area watershed may be developed with non-residential development to a maximum of seventy percent (70%) built-upon surface area. Records for the watershed shall include the total acres of watershed area, total acres eligible to be developed under the option, total acres approved for the development option and the individual file records for each development that is approved in these areas. (Ord. of 12-7-04, No. 37-02)~~

~~Sec. 9-3-231—Appeals from Watershed Administrator.~~

~~—1. Any order, requirement, decision, or determination made by the Watershed Administrator may be appealed to and decided by the Watershed Review Board.~~

~~—2. An appeal from a decision of the Watershed Administrator must be submitted to the Watershed Review Board within thirty (30) days from the date the order, interpretation, decision or determination is made. All appeals must be made in writing stating the reasons for appeal. Following submission of an appeal, the Watershed Administrator shall transmit to the Board all papers constituting the record upon which the action appealed from was taken.~~

~~—3. An appeal stays all proceedings in furtherance of the action appealed, unless the officer from whom the appeal is taken certifies to the Board after the notice of appeal has been filed with him or her, that by reason of facts stated in the certificate, a stay would in his opinion cause imminent peril to life or property. In such case, proceedings shall not be stayed otherwise than by a restraining order which may be granted by the Board or by a court of record on application of notice of the officer from whom the appeal is taken and upon due cause shown.~~

~~—4. The Board shall fix a reasonable time for hearing the appeal and give notice thereof to the parties and shall decide the same within a reasonable time. At the hearing, any party may appear in person, by agent or~~

by attorney. (Ord. of 12-7-04, No. 37-02)

~~Sec. 9-3-232—Changes and amendments to the watershed protection rules.~~

~~—1. The City Council may, on its own motion or on petition, after public notice and hearing, amend, supplement, change or modify the watershed regulations and restrictions as described herein.~~

~~—2. No action shall be taken until the proposal has been submitted to the Watershed Review Board for review and recommendations. If no recommendation has been received from the Watershed Review Board within forty five (45) days after submission of the proposal to the Chairman of the Watershed Review Board, the City Council may proceed as though a favorable report had been received.~~

~~—3. Under no circumstances shall the City Council adopt such amendments, supplements or changes that would cause these rules to violate the watershed protection rules as adopted by the North Carolina Environmental Management Commission. All amendments must be filed with the North Carolina Division of Environmental Health and the North Carolina Division of Community Assistance. (Ord. of 12-7-04, No. 37-02)~~

~~Sec. 9-3-233—Public notice and hearing required.~~

~~—Before amending these rules, the City Council shall hold a public hearing on the proposed changes. A notice of the public hearing shall be given once a week for two (2) successive calendar weeks in a newspaper having general circulation in the area. The notice shall be published for the first time not less than ten (10) nor more than twenty five (25) days before the date fixed for the hearing. (Ord. of 12-7-04, No. 37-02)~~

~~Sec. 9-3-234—Establishment of Watershed Review Board.~~

~~—The Board of Adjustment of the City of Claremont, as the same shall be constituted from time to time, shall also serve as the city's Watershed Review Board. (Ord. of 12-7-04, No. 37-02)~~

~~Sec. 9-3-235—Powers and duties of the Watershed Review Board.~~

~~—1. Administrative review. The Watershed Review Board shall hear and decide appeals from any decision or determination made by the Watershed Administrator in the enforcement of these rules.~~

~~—2. Variances. The Watershed Review Board shall have the power to authorize, in specific cases, a minor variance from the terms of these rules as will not be contrary to the public interests where, owing to special conditions, a literal enforcement of these rules will result in practical difficulties or unnecessary hardship, so that the spirit of these rules shall be observed, public safety and welfare secured, and substantial justice done. In addition, the city shall notify and allow a reasonable comment period for all other local governments having jurisdiction in the designated watershed where the variance is being considered.~~

~~—3. In granting the variance, the Board may attach thereto such conditions regarding the location, character and other features of the proposed building, structure or use as it may deem advisable in furtherance of the purpose of these rules. If a variance for the construction, alteration or use of property is granted, such construction, alteration or use shall be in accordance with the approved site plan.~~

~~—4. If the application calls for the granting of a major variance, and if the Watershed Review Board decides in favor of granting the variance, the Board shall prepare a preliminary record of the hearing with all deliberate speed. The preliminary record of the hearing shall include:~~

~~—a. The variance application;~~

~~—b. The hearing notices;~~

~~—c. The evidence presented;~~

~~—d. Motions, offers of proof, objections to evidence, and rulings on them;~~

~~—e. Proposed findings and exceptions;~~

~~—f. The proposed decision, including all conditions proposed to be added to the permit.~~

~~—5. The preliminary record shall be sent to the Environmental Management Commission for its review. (Ord. of 12-7-04, No. 37-02)~~

~~Sec. 9-3-236—Special procedures regarding issuance of 10/70 bonus permit.~~

~~—1. Deliberations by Watershed Review Board. In addition to consideration of the specific criteria set forth~~

in Section 9-3-220.2, hereinabove, the Watershed Review Board, acting as a Board of Adjustment, shall use the general standards and follow the more specific requirements established in Section 9-3-236.2, hereinafter, to direct its deliberations upon applications for approval of 10/70 bonus permits.

~~—2. General standards:~~

~~—a. The following general standards shall be met by all applicants for approval of 10/70 bonus permits:~~

~~—(1) The development, as proposed, will promote the public health, safety, and general welfare if located where proposed and developed and operated according to the application; and~~

~~—(2) The proposed development is in compliance with the general plans for the physical development of the city and its environs;~~

~~—b. The Watershed Review Board shall make these general findings based upon substantial evidence contained in its proceedings. It shall be the responsibility of the applicant to present evidence in the form of testimony, exhibits, documents, models, plans, and the like to support the application for approval of a 10/70 bonus permit.~~

~~—3. Procedure for application:~~

~~—a. Application submitted to Watershed Administrator:~~

~~—(1) Applications for approval of 10/70 bonus permits shall be filed with the Watershed Administrator, who shall, before accepting any application insure that it contains all required information.~~

~~—(2) Applications which are not complete, or otherwise do not comply with the provisions of this article, shall not be accepted by the Watershed Administrator but shall be returned forthwith to the applicant, with a notation by the Watershed Administrator of the deficiencies in the application.~~

~~—b. Report on application for 10/70 bonus permit. In the case of an application for a 10/70 bonus permit, the Watershed Administrator shall submit a report and recommendation to the Watershed Review Board, acting as a Board of Adjustment, within thirty (30) days:~~

~~—c. Public hearing required, notice specified:~~

~~—(1) Prior to consideration of an application for approval of a 10/70 bonus permit, a public hearing thereon shall be held by the Watershed Review Board, acting as a Board of Adjustment.~~

~~—(2) The Watershed Administrator shall cause public notice to be given of the date, time, and place of the public hearing to be held to receive comments, testimony, and exhibits pertaining to the application for approval of a 10/70 bonus permit.~~

~~—(3) The notice shall be published in a newspaper of general circulation in the city once a week for two (2) successive weeks, with the first notice to be published not less than ten (10) nor more than twenty-five (25) days prior to the date of the hearing.~~

~~—d. Action on application:~~

~~—(1) After completion of the public hearing, the Watershed Review Board shall take action upon the application, which shall consist of one of the following:~~

~~—(a) Approval;~~

~~—(b) Approval with conditions attached; and~~

~~—(c) Denial.~~

~~—(2) In every case, the action of the Watershed Review Board shall include a summary of the evidence supporting the action taken by it on the application.~~

~~—e. Action subsequent to decision:~~

~~—(1) The Watershed Administrator shall cause notice of the disposition of the application to be sent by certified mail, return receipt requested, to the applicant and a copy of the decision to be filed in the Office of the Watershed Administrator.~~

~~—(2) The Watershed Administrator, in the case of approval or approval with conditions, shall issue the necessary permit in accordance with the action.~~

~~—4. Imposed conditions:~~

~~—a. The Watershed Review Board, acting as a Board of Adjustment, may impose such reasonable conditions upon approval of a 10/70 bonus permit as will afford protection of the public health, safety, and general welfare, insure that substantial justice is done, and equitable treatment provided.~~

~~—b. Such conditions shall run with the land and shall be binding upon the original applicant(s) as well as all successors, heirs, and assigns.~~

~~—5. Contents of application. The application for approval of a 10/70 bonus permit shall be submitted on forms provided by the Watershed Administrator. Such forms shall be prepared so that, when completed, a full and accurate description of the proposed use, including its location, appearance, and operational characteristics, shall be disclosed. Additionally, the forms shall, when completed by the applicant, disclose the name(s) and address(es) of the owner(s) of the property involved, the name(s) and address(es) of the applicant, if different from the owner(s), and all relevant information needed to show compliance with the general and specific standards governing the 10/70 bonus permit which is the subject of the application.~~

~~—6. Minor changes and modifications approval required:~~

~~—a. The Watershed Administrator is authorized to approve minor changes in the approved plan for a 10/70 bonus permit, as long as such minor changes are in harmony with the action of the Watershed Review Board, but he or she shall not have the power to approve changes that constitute a modification of the approval. A modification shall require approval of the Watershed Review Board, acting as a Board of Adjustment, and shall be handled as a new application.~~

~~—b. The Watershed Administrator shall use the following criteria in determining whether a proposed revision is a minor change or a modification;~~

~~—(1) Any change in intensity shall constitute a modification.~~

~~—(2) Any increase in intensity of use shall constitute a modification. An increase in intensity of use shall be considered to be an increase in usable floor area, an increase in the number of units, or an increase in outside land area devoted to sales, displays, or demonstrations.~~

~~—(3) Any change in parking areas resulting in an increase or reduction of five percent (5%) or more in the number of spaces approved by the Watershed Review Board shall constitute a modification.~~

~~—(4) Structural alterations significantly affecting the basic size, form, style and the like of any buildings, as shown on the approved plan, shall be considered a modification.~~

~~—(5) Substantial decrease in the amount or location of open space, recreation facilities, or landscape screens shall constitute a modification.~~

~~—(6) A change in use shall constitute a modification.~~

~~—(7) Substantial changes in pedestrian or vehicular access or circulation shall constitute a modification.~~

~~—c. The Watershed Administrator shall, before making a determination as to whether a proposed action is a minor change or a modification, review the record of the proceedings on the original application for the approval of the 10/70 bonus permit.~~

~~—d. The Watershed Administrator shall, if he or she determines that the proposed action is a modification, require the applicant to file a request for approval of the modification, which shall be submitted to the Watershed Review Board, acting as a Board of Adjustment. The Board may approve or disapprove the application for approval of a modification, and prior to its action, may hold a public hearing thereon. (Ord. of 12-7-04, No. 37-02)~~

Sec. 9-3-237 Appeals from Watershed Review Board.

—Appeals from the Watershed Review Board must be filed with the Superior Court within thirty (30) days from the date of the decision. The decisions by the Superior Court will be in the manner of certiorari. (Ord. of 12-7-04, No. 37-02)

Sec. 9-3-238 Illicit discharges and connections.

—1. Illicit discharges. No person shall cause or allow the discharge, emission, disposal, pouring, or pumping directly or indirectly to any stormwater conveyance, the waters of the state, or upon the land in manner and amount that the substance is likely to reach a stormwater conveyance or the waters of the state, any liquid, solid, gas, or other substance, other than stormwater; provided that non-stormwater discharges associated with the following activities are allowed and provided that they do not significantly impact water quality:

—a. Water line flushing;

—b. Landscape irrigation;

—c. Diverted stream flows;

—d. Rising ground waters;

—e. Uncontaminated ground-water infiltration (as defined at 40 CFR 35.2005(20));

- ~~—f. Uncontaminated pumped ground water;~~
- ~~—g. Discharges from potable water sources;~~
- ~~—h. Foundation drains;~~
- ~~—i. Air conditioning condensation;~~
- ~~—j. Irrigation water;~~
- ~~—k. Springs;~~
- ~~—l. Water from crawl space pumps;~~
- ~~—m. Footing drains;~~
- ~~—n. Lawn watering;~~
- ~~—o. Individual residential car washing;~~
- ~~—p. Flows from riparian habitats and wetlands;~~
- ~~—q. Dechlorinated swimming pool discharges;~~
- ~~—r. Street wash water; and~~
- ~~—s. Other non-stormwater discharges for which a valid NPDES discharge permit has been approved and issued by the State of North Carolina, and provided that any such discharges to the municipal separate storm sewer system shall be authorized by the City of Claremont.~~
- ~~—Prohibited substances include but are not limited to: oil, anti-freeze, chemicals, animal waste, paints, garbage, and litter~~
- ~~—2. Illicit connections:~~
  - ~~—a. Connections to a stormwater conveyance or stormwater conveyance system that allow the discharge of non-stormwater, other than the exclusions described in subsection 1. above, are unlawful. Prohibited connections include, but are not limited to: floor drains, waste water from washing machines or sanitary sewers, wash water from commercial vehicle washing or steam cleaning, and waste water from septic systems.~~
  - ~~—b. Where such connections exist in violation of this section and said connections were made prior to the adoption of this provision or any other ordinance prohibiting such connections, the property owner or the person using said connection shall remove the connection within one (1) year following the effective date of this section. However, the one year grace period shall not apply to connections which may result in the discharge of hazardous materials or other discharges which pose an immediate threat to health and safety, or are likely to result in immediate injury and harm to real or personal property, natural resources, wildlife, or habitat.~~
  - ~~—c. Where it is determined that said connection:~~
    - ~~—(1) May result in the discharge of hazardous materials or may pose an immediate threat to health and safety or is likely to result in the immediate injury and harm to real or personal property, natural resources, wildlife, or habitat; or~~
    - ~~—(2) Was made in violation of any applicable regulation or ordinance, other than this section; the Watershed Administrator shall designate the time within which the connection shall be removed. In setting the time limit for compliance, the Watershed Administrator shall take into consideration:~~
      - ~~—A. The quantity and complexity of the work;~~
      - ~~—B. The consequences of delay;~~
      - ~~—C. The potential harm to the environment, to the public health, and to public and private property; and~~
      - ~~—D. The cost of remedying the damage.~~
- ~~—3. Spills. Spills or leaks of polluting substances released, discharged to, or having the potential to be released or discharged to the stormwater conveyance system, shall be contained, controlled, collected, and properly disposed. All affected areas shall be restored to their preexisting condition. Persons in control of the polluting substances immediately prior to their release or discharge, and persons owning the property on which the substances were released or discharged, shall immediately notify the city Fire Chief of the release or discharge, as well as making any required notifications under state and federal law. Notification shall not relieve any person of any expenses related to the restoration, loss, damage, or any other liability which may be incurred as a result of said spill or leak, nor shall such notification relieve any person from other liability which may be imposed by state or other law.~~
- ~~—4. Nuisance. Illicit discharges and illicit connections which exist within the city limits are hereby found,~~

deemed, and declared to be dangerous or prejudiced to the public health or public safety and are found, deemed, and declared to be public nuisances. Such public nuisances shall be abated in accordance with the procedures set forth in section 9-3-245, Penalties for Violation.

—(Ord. of 4/4/09, No. 20-09)

Secs. 9-3-239 and 9-3-211 through 9-3-240 reserved.

## CHAPTER 8

### Watershed Protection Rules

#### Sec. 9-8-1.1 General Definitions.

**Agricultural Use.** The use of waters for stock watering, irrigation, and other farm purposes.

**Balance of Watershed (BW).** The area adjoining and upstream of the critical area in a WS-II and WS-III water supply watershed. The "balance of watershed" is comprised of the entire land area contributing surface drainage to the stream, river, or reservoir where a water supply intake is located.

**Best Management Practices (BMP).** A structural or nonstructural management-based practice used singularly or in combination to reduce nonpoint source inputs to receiving waters in order to achieve water quality protection goals.

**Buffer.** An area of natural or planted vegetation through which stormwater runoff flows in a diffuse manner so that the runoff does not become channelized and which provides for infiltration of the runoff and filtering of pollutants. The buffer is measured landward from the normal pool elevation of impounded structures and from the bank of each side of streams or rivers.

**Building.** Any structure having a roof supported by columns or by walls, and intended for shelter, housing or enclosure of persons, animals, or property. The connection of two buildings by means of an open porch, breezeway, passageway, carport, or other such open structure, with or without a roof, shall not be deemed to make them one building.

**Built-upon area.** Built-upon area means impervious surface and partially impervious surface to the extent that the partially impervious surface does not allow water to infiltrate through the surface and into the subsoil. "Built-upon area" does not include a slatted deck; the water area of a swimming pool; a surface of number 57 stone, as designated by the American Society for Testing and Materials, laid at least four inches thick over a geotextile fabric; a trail as defined in G.S. 113A-85 that is either unpaved or paved as long as the pavement is porous with a hydraulic conductivity greater than 0.001 centimeters per second (1.41 inches per hour); or landscaping material, including, but not limited to, gravel, mulch, sand, and vegetation, placed on areas that receive pedestrian or bicycle traffic or on portions of driveways and parking areas that will not be compacted by the weight of a vehicle, such as the area between sections of pavement that support the weight of a vehicle (except as exempted by State law).

**Cluster Development.** Cluster development means the grouping of buildings in order to conserve land resources and provide for innovation in the design of the project including minimizing stormwater runoff impacts. This term includes nonresidential development as well as single-family residential and multi-family developments. For the purpose of this ordinance, planned unit developments and mixed-use development are considered as cluster development.

**Common Plan of Development** – site with multiple lots where there is a single development plan for all of the lots, usually represented by a master plan or a set of declarations of restrict covenants.

**Critical Area.** The area adjacent to a water supply intake or reservoir where risk associated with pollution is greater than from the remaining portions of the watershed. The critical area is defined as extending either one-half mile from the normal pool elevation of the reservoir in which the intake is located or to the ridge line of the watershed (whichever comes first); or one-half mile upstream from the intake located directly in the stream or river (run-of-the-river), or the ridge line of the watershed (whichever comes first). Local governments may extend the critical area as needed. Major landmarks such as highways or property lines may be used to delineate the outer boundary of the critical area if these landmarks are immediately adjacent to the appropriate outer boundary of one-half mile.

**Customary Home Occupations.** Any use conducted entirely within a dwelling and carried on by the occupants thereof, which use is clearly incidental and secondary to the use of the dwelling for residential purposes and does not change the character thereof. Provided further that no mechanical equipment is installed or used except as is normally used for domestic or professional purposes, and that not over twenty-five percent (25%) of the total floor space of any structure is used for the occupation. No home occupation shall be conducted in any accessory building except for the storage and service of a vehicle that is driven off site, such as a service repair truck, delivery truck, etc.

**Development.** Any land disturbing activity which adds to or changes the amount or nature of impervious or partially impervious cover on a land area, or which otherwise decreases the infiltration of precipitation into the soil.

**Dwelling Unit.** A building, or portion thereof, providing complete and permanent living facilities for one or more persons.

**Existing Development.** Those projects that are built or that have established a vested right under North Carolina zoning law as of the effective date of this ordinance.

**Existing Lot.** A lot which is part of a subdivision, a plat of which has been recorded in the Office of the Register of Deeds prior to the adoption of this ordinance, or a lot described by metes and bounds, the description of which has been so recorded prior to the adoption of this ordinance.

**Family.** One or more persons occupying a single dwelling unit, provided that unless all members are related by blood or marriage or adoption, no such family shall contain over five persons, but further provided that domestic servants employed or living on the premises may be housed on the premises without being counted as a family or families.

**Family Subdivision.** Family subdivision means a division of a tract of land: (a) to convey the resulting parcels, with the exception of parcels retained by the grantor, to a relative or relatives as a gift or for nominal consideration, but only if no more than one parcel is conveyed by the grantor from the tract to any one relative; or (b) to divide land from a common ancestor among tenants in common, all of whom inherited by intestacy or by will.

**Industrial Development.** Any non-residential development that requires an NPDES permit for an industrial discharge and/or requires the use or storage of any hazardous material for the purpose of manufacturing, assembling, finishing, cleaning, or developing any product or commodity.

**Landfill.** A facility for the disposal of solid waste on land in a sanitary manner in accordance with Chapter 130A Article 9 of the N.C. General Statutes. For the purpose of this ordinance, this term does not include

composting facilities.

**Lot.** A parcel of land that can be transferred separate from other parcels of land.

**Major Variance.** A variance that is not a Minor Variance as defined in this ordinance.

**Minor Variance.** A variance from the minimum statewide watershed protection rules that results in a relaxation, by a factor of up to five (5) percent of any buffer, density or built-upon area requirement under the high-density option; or that results in a relaxation, by a factor of up to ten (10) percent, of any management requirement under the low-density option. For variances to a vegetated setback requirement, the percent variation shall be calculated using the footprint of built-upon area proposed to encroach with the vegetated setback divided by the total area of vegetated setback within the project.

**Nonconforming Existing Lot.** A lot described by a plat or a deed that was recorded prior to the effective date of local watershed protection regulations (or their amendments) that does not meet the minimum lot size or other development requirements of the statewide watershed protection rules.

**Non-residential Development.** All development other than residential development, agriculture and silviculture.

**Perennial Waterbody:** A natural or man-made basin, including lakes, ponds, and reservoirs, that stores surface water permanently at depths sufficient to preclude the growth of non-hydrophilic rooted plants.

**Plat.** A map or plan of a parcel of land which is to be, or has been, subdivided.

**Protected Area.** The area adjoining and upstream of the critical area of WS-IV watersheds. The boundaries of the protected area are defined as within five miles of and draining to the normal pool elevation of the reservoir or to the ridgeline of the watershed; or within 10 miles upstream and draining to the intake located directly in the stream or river or to the ridgeline of the watershed.

**Qualified Individual.** A person certified to perform stream determinations by completing and passing the Surface Water Identification Training and Certification (SWITC) course offered by the N.C. Div. of Water Resources at N.C. State University.

**Residential Development.** Buildings constructed for human habitation such as attached and detached single-family dwellings, apartment complexes, condominiums, townhouses, cottages, etc. and their associated outbuildings such as garages, storage buildings, gazebos, etc. and customary home occupations.

**Residuals.** Any solid or semi-solid waste generated from a wastewater treatment plant, water treatment plant or air pollution control facility permitted under the authority of the Environmental Management Commission.

**Single Family Residential.** Any development where: 1) no building contains more than one dwelling unit, 2) every dwelling unit is on a separate lot, and 3) where no lot contains more than one dwelling unit.

**Stormwater Control Measure (SCM).** means a permanent structural device that is designed, constructed, and maintained to remove pollutants from stormwater runoff by promoting settling or filtration; or to mimic the natural hydrologic cycle by promoting infiltration, evapo-transpiration, post-filtration discharge, reuse of stormwater, or a combination thereof.

**Street (Road).** A right-of-way for vehicular traffic which affords the principal means of access to abutting properties.



**Structure.** Anything constructed or erected, including but not limited to buildings, which requires location on the land or attachment to something having permanent location on the land.

**Subdivider.** Any person, firm, corporation, or official who subdivides or develops any land deemed to be a subdivision as herein defined.

**Subdivision.** All divisions of a tract or parcel of land into two or more lots, building sites, or other divisions for the purpose of sale or building development (whether immediate or future) and shall include all division of land involving the dedication of a new street or a change in existing streets; except those from subdivision regulation by GS 160D-802(a)(1) through (a)(5).

**Surface Waters:** All waters of the State as defined in NCGS 143-212 except underground waters.

**Toxic Substance.** Any substance or combination of substances (including disease causing agents), which after discharge and upon exposure, ingestion, inhalation, or assimilation into any organism, either directly from the environment or indirectly by ingestion through food chains, has the potential to cause death, disease, behavioral abnormalities, cancer, genetic mutations, physiological malfunctions (including malfunctions or suppression in reproduction or growth), or physical deformities in such organisms or their off spring or other adverse health effects.

**Variance.** A permission to develop or use property granted by the Watershed Review Board relaxing or waiving a water supply watershed management requirement adopted by the Environmental Management Commission that is incorporated into this ordinance.

**Vested Right.** The right to undertake and complete the development and use of property under the terms and conditions of an approved site-specific development plan or an approved phased development plan. Refer to the North Carolina General Statutes Section 160D-108 for more information.

**Water Dependent Structure.** Any structure for which the use requires access to or proximity to or citing within surface waters to fulfill its basic purpose, such as boat ramps, boat houses, docks, and bulkheads. Ancillary facilities such as restaurants, outlets for boat supplies, parking lots and commercial boat storage areas are not water dependent structures.

**Watershed.** The entire land area contributing surface drainage to a specific point (e.g. the water supply intake) or alternatively, the geographic region within which water drains to a particular river, stream or

body of water.

**Watershed Administrator.** An official or designated person of the City of Claremont responsible for administration and enforcement of this ordinance.

#### **Sec. 9-8-1.2 Word Interpretation.**

For the purpose of this ordinance, certain words shall be interpreted as follows:

Words in the present tense include the future tense.

Words used in the singular number include the plural, and words used in the plural number include the singular, unless the natural construction of the wording indicates otherwise.

The word "person" includes a firm, association, corporation, trust, and company as well as an individual.

The word "structure" shall include the word "building."

The word "lot" shall include the words, "plot," "parcel," or

"tract." The words "shall" and "will" are always mandatory.

### **SECTION 9-8-2: AUTHORITY AND GENERAL REGULATIONS**

#### **Sec. 9-8-2.1 Authority and Enactment.**

The Legislature of the State of North Carolina has, in Chapter [153A][160A], Article [6][8], Section [121][174], General Ordinance Making Power; and in Chapter 143, Article 21, Water and Air Resources, authorized local governments to adopt regulations designed to promote the public health, safety, and general welfare of its citizenry. In addition, GS 160D-926 and G.S. 143-214.5 specifically authorize local governments to enact and enforce water supply watershed management regulations. The Governing Board of the City of Claremont, North Carolina hereby ordains and enacts into law the following articles as the Water Supply Watershed Protection Ordinance of the City of Claremont.<sup>1</sup>

#### **Sec. 9-8-2.2 Jurisdiction.**

The provisions of this Ordinance shall apply within the areas designated as a Water Supply Watershed by the N.C. Environmental Management Commission and shall be defined and established on a water supply watershed protection map of the City of Claremont which is adopted simultaneously herewith. The watershed map and all explanatory matter contained thereon accompanies and is hereby made a part of this Ordinance. This Ordinance shall be permanently kept on file in the of the City of Claremont City Hall.<sup>2</sup>

#### **Sec. 9-8-2.3 Exceptions to Applicability.**

(A) Nothing contained herein shall repeal, modify, or amend any Federal or State law or regulation, or any ordinance or regulation pertaining thereto except any ordinance which these regulations specifically replace; nor shall any provision of this Ordinance amend, modify, or restrict any other provisions of the Code of Ordinances of the City of Claremont; however, the adoption of this Ordinance shall and does amend any and all ordinances, resolutions, and regulations in effect in the City of Claremont at the time

of the adoption of this Ordinance that may be construed to impair or reduce the effectiveness of this Ordinance or to conflict with any of its provisions.

(B) It is not intended that these regulations interfere with any easement, covenants, or other agreements between parties. However, if the provisions of these regulations impose greater restrictions or higher standards for the use of a building or land, then the provisions of these regulations shall control.

(C) Existing Development, as defined in this ordinance, is not subject to the requirements of this ordinance.

(D) Expansions to existing development must meet the requirements of this ordinance, except single family residential development or unless expansion is part of common plan of development. In an expansion, the built-upon area of the existing development is not required to be included in the density calculations. Where there is a net increase of built upon area, only the area of net increase is subject to this ordinance. Where existing development is being replaced with new built upon area, and there is net increase of built upon area, only areas of net increase shall be subject to this ordinance.

(E) If a Non-Conforming Existing Lot is not contiguous to any other lot owned by the same party, then that lot shall not be subject to the development restrictions of this ordinance if it is developed for single-family residential purposes. Local governments may require the combination of contiguous nonconforming lots of record owned by same party to establish a lot or lots that meet requirements in Section 9-8-3 of this ordinance.

(F) Any lot or parcel created as part of a Family Subdivision after the effective date of these rules shall be exempt from these rules if it is developed for one single-family detached residence and if it is exempt from local subdivision regulation. If a local government does not enforce subdivision regulations, then that local government may or may not allow the exemption for Family Subdivisions.

(G) Any lot or parcel created as part of any other type of subdivision that is exempt from a local subdivision ordinance shall be subject to the land use requirements (including impervious surface requirements) of these rules, except that such a lot or parcel must meet the minimum buffer requirements to the maximum extent practicable.<sup>3</sup>

(H) An applicant may exceed the density limits in Section 9-8-4 if all of the following circumstances apply:

(1) The property was developed prior to the effective date of the local water supply watershed program.

(2) The property has not been combined with additional lots after January 1, 2021.

(3) The property has not been a participant in a density averaging transaction under G.S. 143-214.5(d2).

(4) The current use of the property is nonresidential.

(5) In the sole discretion, and at the voluntary election, of the property owner, the stormwater from all of the existing and new built-upon area on the property is treated in accordance with all applicable local government, state, and federal laws and regulations.

(6) The remaining vegetated buffers on the property are preserved in accordance with the requirements of this Ordinance.

#### **Sec. 9-8-2.4 Repeal of Existing Watershed Ordinance.**

This ordinance in part carries forward by re-enactment, some of the **Watershed Ordinance of the City of Claremont** (adopted by the Claremont City Council on December 7<sup>th</sup>, 2004 as amended), and it is not the intention to repeal but rather to re-enact and continue to enforce such existing provisions so that all rights and liabilities that have accrued thereunder are preserved and may be enforced. All provisions of the Watershed Ordinance which are not re-enacted herein are hereby repealed. All suits at law or in equity and/or all prosecutions resulting from the violation of any ordinance provisions heretofore in effect, which are now pending in any court of this state or of the United States, shall not be abated or abandoned by reason of the adoption of this ordinance, but shall be prosecuted to their finality the same as if this ordinance had not been adopted; and any and all violations of the existing Watershed Protection

Ordinance, prosecutions for which have not yet been instituted, may be hereafter filed and prosecuted; and nothing in this ordinance shall be so construed as to abandon, abate or dismiss any litigation or prosecution now pending and/or which may heretofore have been instituted or prosecuted.

**Sec. 9-8-2.5 Criminal Penalties.**

Any person violating any provisions of this Ordinance shall be guilty of a misdemeanor and, upon conviction, shall be punished in accordance with NCGS 14-4. The maximum fine for each offense shall not exceed \$500.00. Each day that the violation continues shall constitute a separate offense.

**Sec. 9-8-2.6 Remedies.**

(A) If any subdivision, development and/or land use is found to be in violation of this Ordinance, the City of Claremont Governing Board may, in addition to all other remedies available either in law or in equity, institute a civil penalty in the amount of \$50, action or proceedings to restrain, correct, or abate the violation; to prevent occupancy of the building, structure, or land; or to prevent any illegal act, conduct, business, or use in or about the premises. In addition, the N.C. Environmental Management Commission may assess civil penalties in accordance with G.S. 143-215.6A. Each day that the violation continues shall constitute a separate offense.

(B) If the Watershed Administrator finds that any of the provisions of this ordinance are being violated, he shall notify in writing the person responsible for such violation, indicating the nature of the violation, and ordering the action necessary to correct it. He shall order discontinuance of the illegal use of land, buildings, or structures; removal of illegal buildings or structures, or of additions, alterations, or structural changes thereto; discontinuance of any illegal work being done; or shall take any action authorized by this ordinance to ensure compliance with or to prevent violation of its provisions. If a ruling of the Watershed Administrator is questioned, the aggrieved party or parties may appeal such ruling to the Watershed Review Board.

**Sec. 9-8-2.7 Severability.**

Should any section or provision of this Ordinance be declared invalid or unconstitutional by any court of competent jurisdiction, the declaration shall not affect the validity of this Ordinance as a whole or any part thereof that is not specifically declared to be invalid or unconstitutional.

**Sec. 9-8-2.8 Effective Date.**

This Ordinance shall take effect and be in force on (month, day and year).

## **SECTION 9-8-3: SUBDIVISION REGULATIONS.**

### **Sec. 9-8-3.1 General Provisions.**

(A) No subdivision plat of land within the Water Supply Watershed shall be filed or recorded by the Register of Deeds until it has been approved in accordance with the provisions of this Article. Likewise, the Clerk of Superior Court shall not order or direct the recording of a plat if the recording of such plat would conflict with this Article.

(B) The approval of a plat by itself does not constitute or effect the acceptance by the City of Claremont or the public of the dedication of any street or other ground, easement, right-of-way, public utility line, or other public facility shown on the plat and shall not be construed to do so.

(C) All subdivisions shall conform with the mapping requirements contained in GS 47-30.

(D) All subdivisions of land within the jurisdiction of the City of Claremont, North Carolina after the effective date of this ordinance shall require a plat to be prepared, approved, and recorded pursuant to this ordinance. <sup>4</sup>

### **Sec. 9-8-3.2 Subdivision Application and Review Procedures.**

(A) All proposed subdivisions shall be reviewed prior to recording with the Register of Deeds by submitting a vicinity map to the Watershed Administrator to determine whether or not the property is located within the designated Water Supply Watershed. Subdivisions that are not within the designated watershed area shall not be subject to the provisions of this ordinance and may be recorded provided the Watershed Administrator initials the vicinity map. Subdivisions within a WS-IV watershed are subject to the provisions of this ordinance only when an erosion and sedimentation plan is required under the provisions of State law or approved local program, unless another stormwater program applies. Local government should always be aware that other post construction requirements may apply even when water supply watershed protection requirements do not. Subdivisions within the designated watershed area shall comply with the provisions of this Article and all other state and local requirements that may apply.

(B) Subdivision applications shall be filed with the Watershed Administrator. The application shall include a completed application form, two (2) copies of the plat, a description of the proposed method of providing storm water drainage, and supporting documentation deemed necessary by the Watershed Administrator or the Watershed Review Board.

(C) The Watershed Administrator shall review the completed application and shall either approve, approve conditionally or disapprove each application. The Watershed Administrator shall take final action within forty-five (45) days of submission of the application. The Watershed Administrator or the Watershed Review Board may provide public agencies an opportunity to review and make recommendations. However, failure of the agencies to submit their comments and recommendations shall not delay action within the prescribed time limit. Said public agencies may include, but are not limited to, the following:

(1) The NCDOT district highway engineer with regard to proposed streets and highways.

(2) The Health Department director with regard to proposed private water system or sewer systems normally approved by the Health Department. .

(3) The state Division of Water Resources with regard to proposed sewer systems normally approved by the Division.

(4) The state Division of Energy, Mineral and Land Resources with regard to engineered storm water controls or storm water management in general.

(5) The county for subdivisions located in Extraterritorial Jurisdiction (ETJ) of a municipality.

(6) Local government entities responsible for proposed sewer and/or water systems.

(7) Any other agency or official designated by the Watershed Administrator or Watershed Review Board.

(D) If the Watershed Administrator approves the application, such approval shall be indicated on both copies of the plat by the following certificate and signed by the Watershed Administrator:

**Certificate of Approval for Recording**

I certify that the plat shown hereon complies with the Watershed Protection Ordinance and is approved by the Watershed Review Board for recording in the Register of Deeds office.

\_\_\_\_\_  
Date

\_\_\_\_\_  
Watershed Administrator

**NOTICE: This property is located within a Water Supply Watershed – development restrictions may apply.**

(E) If the Watershed Administrator disapproves or approves conditionally the application, the reasons for such action shall be stated in writing for the applicant and may be entered in the minutes. The subdivider may make changes and submit a revised plan which shall constitute a separate request for the purpose of review.

(F) As a condition for approval, all subdivision plats shall comply with the requirements for recording of the County Register of Deeds.

(G) The plat shall be recorded within 15 days of approval. The Subdivider shall provide the Watershed Administrator with evidence the plat has been recorded with the Register of Deeds within five (5) working days of recordation.

**Sec. 9-8-3.3 Subdivision Standards and Required Improvements.**

(A) All lots shall provide adequate building space in accordance with the development standards contained in Section 9-8-4. Lots smaller than the minimum required for residential lots may be developed using built-upon area criteria in accordance with Section 9-8-4.

(B) For the purpose of calculating built-upon area, total project area shall include total acreage in the tract on which the project is to be developed.

(C) Storm Water Drainage Facilities: The application shall be accompanied by a description of the

proposed method of providing storm water drainage. The subdivider shall provide a drainage system that diverts stormwater runoff away from surface waters, incorporates Storm water Control Measures to minimize water quality impacts, and meets any local requirements.

(D) Erosion and Sedimentation Control: The application shall, where required, be accompanied by the Sedimentation and Erosion Control Plan approval by Catawba County Soil and Water.

(E) Roads constructed in critical areas and watershed vegetated conveyance areas: Where possible, roads should be located outside of critical areas and watershed vegetated conveyance areas. Roads constructed within these areas shall be designed and constructed to minimize their impact on water quality.

#### **Sec. 9-8-3.4 Construction Procedures.**

(A) No construction or installation of improvements shall commence in a proposed subdivision until a preliminary subdivision plat has been approved.

(B) No building or other permits shall be issued for erection of a structure on any lot not on record at the time of adoption of this Ordinance until all requirements of this Ordinance have been met. The subdivider, prior to commencing any work within the subdivision, shall make arrangements with the Watershed Administrator to provide for adequate inspection.

#### **Sec. 9-8-3.5 Penalties for Transferring Lots in Unapproved Subdivisions.**

Any person who, being the owner or agent of the owner of any land located within the jurisdiction of the City of Claremont, North Carolina, thereafter subdivides his land in violation of this ordinance or transfers or sells land by reference to, exhibition of, or any other use of a plat showing a subdivision of the land before the plat has been properly approved under this ordinance and recorded in the office of the register of deeds, shall be guilty of a misdemeanor. The description by metes and bounds in the instrument of transfer or other document used in the process of selling or transferring land shall not exempt the transaction from this penalty. The North Carolina may bring an action for injunction of any illegal subdivision, transfer, conveyance, or sale of land, and the court shall, upon appropriate findings, issue an injunction and order requiring the offending party to comply with this ordinance.

### **SECTION 9-8-4: DEVELOPMENT REGULATIONS**

#### **Sec. 9-8-4.1 Establishment of Watershed Areas.**

The purpose of this Article is to list and describe the watershed areas herein adopted.<sup>5</sup>

For purposes of this ordinance the City of Claremont is hereby divided into the following area[s], as appropriate:

WS-I	
WS-II-CA	(Critical Area)
WS-II-BW	(Balance of Watershed)
WS-III-CA	(Critical Area)
WS-III-BW	(Balance of Watershed)
WS-IV-CA	(Critical Area)
WS-IV-PA	(Protected Area)



**Sec. 9-8-4.2 Watershed Areas- Allowed and Not Allowed Uses**

Activity/Use	Water Supply Watershed Classification <sup>1</sup>							
	WS-I	WS-II CA	WS-II BW	WS-III CA	WS-III BW	WS-IV CA	WS-IV PA	WS-V
New landfills	No	No	Yes	No	Yes	No	Yes	Yes
New permitted residual land application	No	No	Yes	No	Yes	No	Yes	Yes
New permitted petroleum contaminated soils sites	No	No	Yes	No	Yes	No	Yes	Yes
NPDES General or Individual Stormwater discharges	Yes <sup>a</sup>	Yes	Yes	Yes	Yes	Yes	Yes	Yes
NPDES General Permit Wastewater Discharges pursuant to 15A NCAC 02H .0127	Yes <sup>a</sup>	Yes	Yes	Yes	Yes	Yes	Yes	Yes
NPDES Individual Permit trout farm discharges	Yes <sup>a</sup>	Yes	Yes	Yes	Yes	Yes	Yes	Yes
New NPDES Individual Permit domestic treated wastewater discharge	No	No	No	No	Yes	Yes	Yes	Yes
New NPDES Individual Permit industrial treated wastewater discharge	No	No	No	No <sup>b</sup>	No <sup>b</sup>	Yes	Yes	Yes
Non-process industrial waste	No	No	No	Yes	Yes	Yes	Yes	Yes
New industrial connections and expansions to existing municipal discharge with pretreatment program pursuant to 15A NCAC 02H .0904	No	No	No	No	No	Yes	Yes	Yes
Sewage	No	No <sup>c</sup>	No <sup>c</sup>	No <sup>c</sup>	No <sup>c</sup>	No <sup>c</sup>	No <sup>c</sup>	Yes <sup>d</sup>
Industrial Waste	No	No <sup>c</sup>	No <sup>c</sup>	No <sup>c</sup>	No <sup>c</sup>	No <sup>c</sup>	No <sup>c</sup>	Yes <sup>d</sup>
Other wastes	No	No <sup>c</sup>	No <sup>c</sup>	No <sup>c</sup>	No <sup>c</sup>	No <sup>c</sup>	No <sup>c</sup>	Yes <sup>d</sup>
Groundwater remediation project discharges <sup>e</sup>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Agriculture <sup>f</sup>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Silviculture <sup>g</sup>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Residential Development <sup>h</sup>	No <sup>i</sup>	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Non-residential Development <sup>h</sup>	No <sup>i</sup>	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Nonpoint Source Pollution <sup>k</sup>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Animal Operations <sup>l</sup>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

**Notes:**

<sup>a</sup> Permitted pursuant to 15A NCAC 02B .0104

<sup>b</sup> Except non-process industrial discharges are allowed

<sup>c</sup> Only allowed if specified in 15A NCAC 02B .0104

<sup>d</sup> Not allowed if activity(ies) has/have adverse impact on human health

<sup>e</sup> Where no other practical alternative exists

<sup>f</sup> In WS-I watersheds and Critical Areas of WS-II, WS-III, and WS-IV watersheds, agricultural activities conducted after 1/1/1993 shall maintain a minimum 10- foot vegetated setback or equivalent control as determined by Soil and Water Conservation Commission along all perennial waters indicated on most recent version of USGS 1:24000 scale (7.5 minute) topographic maps or as determined by local government studies

<sup>g</sup> Subject to Forest Practice Guidelines Related to Water Quality (02 NCAC 60C .0100 to .0209) Effective 4/1/2018

<sup>h</sup> See density requirements in 15A NCAC 02B .0624

<sup>i</sup> See different allowed and not allowed in this table

<sup>j</sup> Watershed shall remain undeveloped except for following uses when they cannot be avoided: power transmission lines, restricted access roads, and structures associated with water withdrawal, treatment, and distribution of WS-I waters. Built upon area shall be designed and located to minimize stormwater runoff impact to receiving waters.

<sup>k</sup> Non Point Source pollution shall not have adverse impact, as defined in 15A NCAC 02H .1002, on use as water supply or any other designated use Deemed permitted, as defined in 15A NCAC 02T .0103 and permitted under 15A NCAC 2H .0217

**Sec. 9-8-4.3 Watershed Areas – Density and Built-Up Limits.**

(A) **PROJECT DENSITY.** The following maximum allowable project densities and minimum lot sizes shall apply to a project according to the classification of the water supply watershed where it is located, its relative location in the watershed, its project density, and the type of development:

Water Supply Classification	Location in the Watershed	Maximum Allowable Project Density or Minimum Lot Size		
		Low Density Development		High Density Development
		Single-family detached residential	Non-residential and all other residential	All types
WS-I	Not Applicable: Watershed shall remain undeveloped except for the following uses when they cannot be avoided: power transmission lines, restricted access roads, and structures associated with water withdrawal, treatment, and distribution of the WS-I water. Built-upon area shall be designed and located to minimize stormwater runoff impact to receiving waters.			
WS-II	Critical Area	1 dwelling unit (du) per 2 acres or 1 du per 80,000 square foot lot excluding roadway right-of-way or 6% built-upon area	6% built-upon area	6 to 24% built-upon area
	Balance of Watershed	1 du per 1 acre or 1 du per 40,000 square foot lot excluding roadway right-of-way or 12% built-upon area	12% built-upon area	12 to 30% built-upon area
WS-III	Critical Area	1 du per 1 acre or 1 du per 40,000 square foot lot excluding roadway right-of-way or 12% built-upon area	12% built-upon area	12 to 30% built-upon area
	Balance of Watershed	1 du per one-half acre or 1 du per 20,000 square foot lot excluding roadway right-of-way or 24% built-upon area	24% built-upon area	24 to 50% built-upon area
WS-IV	Critical Area	1 du per one-half acre or 1 du per 20,000 square foot lot excluding	24% built-upon area	24 to 50% built-upon area

		roadway right-of-way or 24% built-upon area		
	Protected Area	1 du per one-half acre or 1 du per 20,000 square foot lot excluding roadway right-of-way or 24% built-upon; or 3 dus per acre or 36% built-upon areawithout curb and gutter street system	24% built-upon area; or 36% built-upon area without curb and gutter street system	24 to 70% built-upon area
WS-V		Not Applicable		

**(B) CALCULATION OF PROJECT DENSITY.** The following requirements shall apply to the calculation of project density:

- (1) Project density shall be calculated as the total built-upon area divided by the total project area;
- (2) A project with "Existing Development," as defined in this ordinance, may use the calculation method in Sub-Item (1) of this Item or may calculate project density as the difference of total built-upon area minus existing built-upon area divided by the difference of total project area minus existing built-upon area.
- (3) Expansions to Existing Development shall be subject to 15A NCAC 02B .0624 except as excluded in Rule 15A NCAC 02B .0622 (1)(d).
- (4) Where there is a net increase of built-upon area, only the area of net increase shall be subject to density and built upon area limits.
- (5) Where Existing Development is being replaced with new built-upon area, and there is a net increase of built-upon area, only the area of net increase shall be subject to density and built upon area limits
- (6) Total project area shall exclude the following:
  - (a) areas below the Normal High Water Line (NHWL); and
  - (b) areas defined as "coastal wetlands" pursuant to 15A NCAC 07H .0205, herein incorporated by reference, including subsequent amendments and editions, and available at no cost at <http://reports.oah.state.nc.us/ncac.asp>, as measured landward from the NHWL; and
- (7) Projects under a common plan of development shall be considered as a single project for purposes of density calculation except that on a case-by-case basis, local governments may allow projects to be considered to have both high and low density areas based on one or more of the following criteria:
  - (a) natural drainage area boundaries;
  - (b) variations in land use throughout the project; or
  - (c) construction phasing.

**(C) LOW DENSITY PROJECTS.** In addition to complying with the project density requirements of Item (A) of this Rule, low density projects shall comply with the following:

- (1) **VEGETATED CONVEYANCES.** Stormwater runoff from the project shall be released to vegetated areas as dispersed flow or transported by vegetated conveyances to the maximum extent practicable. In determining whether

this criteria has been met, the local government shall take into account site-specific factors such as topography and site layout as well as protection of water quality. Vegetated conveyances shall be maintained in perpetuity to ensure that they function as designed. Vegetated conveyances that meet the following criteria shall be deemed to satisfy the requirements of this Sub-Item:

(a) Side slopes shall be no steeper than 3:1 (horizontal to vertical) unless it is demonstrated to the local government that the soils and vegetation will remain stable in perpetuity based on engineering calculations and on-site soil investigation; and

(b) The conveyance shall be designed so that it does not erode during the peak flow from the 10-year storm event as demonstrated by engineering calculations.

(2) CURB OUTLET SYSTEMS. In lieu of vegetated conveyances, low density projects shall have the option to use curb and gutter with outlets to convey stormwater to grassed swales or vegetated areas. Requirements for these curb outlet systems shall be as follows:

(a) The curb outlets shall be located such that the swale or vegetated area can carry the peak flow from the 10-year storm and at a non-erosive velocity;

(b) The longitudinal slope of the swale or vegetated area shall not exceed five percent except where not practical due to physical constraints. In these cases, devices to slow the rate of runoff and encourage infiltration to reduce pollutant delivery shall be provided;

(c) The swale's cross section shall be trapezoidal with a minimum bottom width of two feet;

(d) The side slopes of the swale or vegetated area shall be no steeper than 3:1 (horizontal to vertical);

(e) The minimum length of the swale or vegetated area shall be 100 feet; and

(f) Low density projects may use treatment swales designed in accordance with 15A NCAC 02H .1061 in lieu of the requirements specified in Sub-Items (a) through (e) of this Sub-Item.

(D) HIGH DENSITY PROJECTS. In addition to complying with the project density requirements of Item (A) of this Rule, high density projects shall comply with the following:

(1) Stormwater Control Measures (SCMs) shall be designed, constructed, and maintained so that the project achieves either "runoff treatment" or "runoff volume match" as those terms are defined in 15A NCAC 02B .0621;

(2) For high density projects designed to achieve runoff treatment, the required storm depth shall be one inch. Applicants shall have the option to design projects to achieve runoff volume match in lieu of runoff treatment;

(3) Stormwater runoff from off-site areas and Existing Development, shall not be required to be treated in the SCM. Runoff from off-site areas or existing development that is not bypassed shall be included in sizing of on-site SCMs;

(4) SCMs shall meet the relevant Minimum Design Criteria set forth in 15A NCAC 02H .1050 through .1062; and

(5) Stormwater outlets shall be designed so that they do not cause erosion downslope of the discharge point during the peak flow from the 10-year storm event as shown by engineering calculations.

(E) OPTIONS FOR IMPLEMENTING PROJECT DENSITY. Local governments shall have the following options in place of or in addition to the requirements of Item (A) above, as appropriate:

(1) Local governments may allow only low density development in their water supply watershed areas in accordance with this Section.

(2) Local governments may regulate low density single-family detached residential development using the minimum lot size requirements, dwelling unit per acre requirements, built-upon area percentages, or some combination of these.

- (3) 10/70 OPTION. Outside of WS-I watersheds and the critical areas of WS-II, WS-III, and WS-IV watersheds, local governments may regulate new development under the "10/70 option" in accordance with the following requirements:
  - (a) A maximum of 10 percent of the land area of a water supply watershed outside of the critical area and within a local government's planning jurisdiction may be developed with new development projects and expansions of existing development of up to 70 percent built-upon area.
  - (b) In water supply watersheds classified on or before August 3, 1992, the beginning amount of acreage available under this option shall be based on a local government's jurisdiction as delineated on July 1, 1993. In water supply watersheds classified after August 3, 1992, the beginning amount of acreage available under this option shall be based on a local government's jurisdiction as delineated on the date the water supply watershed classification became effective. The acreage within the critical area shall not be counted towards the allowable 10/70 option acreage;
  - (c) Projects that are covered under the 10/70 option shall comply with the low density requirements set forth in Item (C) above unless the local government allows high density development, in which case the local government may require these projects to comply with the high density requirements set forth in Item (D);
  - (d) The maximum built-upon area allowed on any given new development project shall be 70 percent;
  - (e) A local government having jurisdiction within a designated water supply watershed may transfer, in whole or in part, its right to the 10/70 land area to another local government within the same water supply watershed upon submittal of a joint resolution and approval by the Commission; and
  - (f) When the water supply watershed is composed of public lands, such as National Forest land, local governments may count the public land acreage within the watershed outside of the critical area in calculating the acreage allowed under this provision.
- (4) New development shall meet the development requirements on a project-by-project basis except local governments may submit ordinances that use density or built-upon area criteria averaged throughout the local government's watershed jurisdiction instead of on a project-by-project basis within the watershed. Prior to approval of the ordinance, the local government shall demonstrate to the Commission that the provisions as averaged meet or exceed the statewide minimum requirements and that a mechanism exists to ensure the planned distribution of development potential throughout the local government's jurisdiction within the watershed.
- (5) Local governments may administer oversight of future development activities in single-family detached residential developments that exceed the applicable low density requirements by tracking dwelling units rather than percentage built-upon area, as long as the SCM is sized to capture and treat runoff from 1) all pervious and built-upon surfaces shown on the development plan and 2) any off-site drainage from pervious and built-upon surfaces, and when an additional safety factor of 15 percent of built-upon area of the project site is figured in.

#### **Sec. 9-8-4.4 Density Averaging**

- (A) An applicant may average development density on up to two noncontiguous properties for purposes of achieving compliance with the water supply watershed development standards if all of the following circumstances exist:

- (1) The properties are within the same water supply watershed. However, if one of the properties is located in the critical area of the watershed, the critical area property shall not be developed beyond the applicable density requirements for its classification.
- (2) Overall project density meets applicable density or stormwater control requirements under 15A NCAC 2B .0200.
- (3) Vegetated setbacks on both properties meet the minimum statewide water supply watershed protection requirements.
- (4) Built upon areas are designed and located to minimize stormwater runoff impact to the receiving waters, minimize concentrated stormwater flow, maximize the use of sheet flow through vegetated areas, and maximize the flow length through vegetated areas.
- (5) Areas of concentrated density development are located in upland areas and, to the maximum extent practicable, away from surface waters and drainageways.
- (6) The property or portions of the properties that are not being developed will remain in a vegetated or natural state and will be managed by a homeowners' association as common area, conveyed to a local government as a park or greenway, or placed under a permanent conservation or farmland preservation easement unless it can be demonstrated that the local government can ensure long-term compliance through deed restrictions and an electronic permitting mechanism. A metes and bounds description of the areas to remain vegetated and limits on use shall be recorded on the subdivision plat, in homeowners' covenants, and on individual deeds. Any such limitations or restrictions on uses shall be irrevocable.
- (7) Development permitted under density averaging and meeting applicable low density requirements shall transport stormwater runoff by vegetated conveyances to the maximum extent practicable.
- (8) A certificate shall be obtained from the local Watershed Review Board to ensure that both properties considered together meet the standards of the watershed ordinance and that potential owners have record of how the watershed regulations were applied to the properties.

#### **Sec. 9-8-4.5 Cluster Development**

Cluster development is allowed in all Watershed Areas [except WS-I] under the following conditions:

- (A) Minimum lot sizes are not applicable to single family cluster development projects; however, the total number of lots shall not exceed the number of lots allowed for single family detached developments in Section 9-8-4.3. Density or built-upon area for the project shall not exceed that allowed for the critical area, balance of watershed or protected area, whichever applies.
- (B) All built-upon area shall be designed and located to minimize stormwater runoff impact to the receiving waters and minimize concentrated stormwater flow, maximize the use of sheet flow through vegetated areas, and maximize the flow length through vegetated areas.
- (C) Areas of concentrated density development shall be located in upland area and as far as practicable from surface waters and drainageways.
- (D) The remainder of the tract shall remain in a vegetated or natural state. The title to the open space area shall be conveyed to an incorporated homeowners association for management; to a local government for preservation as a park or open space; or to a conservation organization for preservation in a permanent easement.
- (E) Cluster developments that meet the applicable low density requirements shall transport stormwater runoff by vegetated conveyances to the maximum extent practicable.

#### **Sec. 9-8-4.6 Vegetated Setbacks Required**

(A) A minimum one hundred (100) foot vegetative setback is required for all new development activities that exceed the low density option; otherwise, a minimum thirty (30) foot vegetative setback for development activities is required along all perennial waters indicated on the most recent versions of U.S.G.S. 1:24,000 (7.5 minute) scale topographic maps or as determined by local government studies. Desirable artificial streambank or shoreline stabilization is permitted.

(B) Where USGS topographic maps do not distinguish between perennial and intermittent streams, an on-site stream determination may be performed by an individual qualified to perform such stream determinations.

(C) No new development is allowed in the buffer except for water dependent structures, other structures such as flag poles, signs and security lights which result in only diminutive increases in impervious area and public projects such as road crossings and greenways where no practical alternative exists. These activities should minimize built-upon surface area, direct runoff away from the surface waters and maximize the utilization of stormwater Best Management Practices. Any such development must obtain a watershed review board certificate.

#### **Sec. 9-8-4.7 Application of Regulations.**

(A) No building or land shall hereafter be used and no development shall take place except in conformity with the regulations herein specified for the watershed area in which it is located.

(B) No area required for the purpose of complying with the provisions of this ordinance shall be included in the area required for another building.

(C) Every residential building hereafter erected, moved or structurally altered shall be located on a lot which conforms to the regulations herein specified, except as permitted in Section 9-8-4.6.

(D) If a use or class of use is not specifically indicated as being allowed in a watershed area, such use or class of use is prohibited.

#### **Sec. 9-8-4.8 Rules Governing the Interpretation of Watershed Area Boundaries**

Where uncertainty exists as to the boundaries of the watershed areas, as shown on the Watershed Map, the following rules shall apply:

(A) Where area boundaries are indicated as approximately following either street, alley, railroad or highway lines or centerlines thereof, such lines shall be construed to be said boundaries.

(B) Where area boundaries are indicated as approximately following lot lines, such lot lines shall be construed to be said boundaries. However, a surveyed plat prepared by a registered land surveyor may be submitted to the City of Claremont as evidence that one or more properties along these boundaries do not lie within the watershed area.

(C) Where the watershed area boundaries lie at a scaled distance more than twenty-five (25) feet from any parallel lot line, the location of watershed area boundaries shall be determined by use of the scale appearing on the watershed map. Any ambiguities should be resolved in favor of locating built-upon surface area in the least environmentally sensitive area of the project.

(D) Where the watershed area boundaries lie at a scaled distance of twenty-five (25) feet or less from any parallel lot line, the location of watershed area boundaries shall be construed to be the lot line.

(E) Where other uncertainty exists, the Watershed Administrator shall interpret the Watershed Map as to location of such boundaries. This decision may be appealed to the Watershed Review Board.

#### **Sec. 9-8-4.9 Existing Development**

Existing Development, as defined in this ordinance, may be continued and maintained subject to the provisions provided herein. Expansions to structures classified as Existing Development must meet the requirements of this ordinance, however, the built-upon area of the Existing Development is not required to be included in the built-upon area calculations. Please see Section 9-8-4.3 (B) Calculation of Project Density. This section deals with all existing development as defined in the EMC rules. All existing development, whether or not it meets the statewide minimum standards, is exempt from the provisions of this ordinance.

(A) Uses of Land. This category consists of Existing Development where such use of the land would not be permitted if it were new development. Such uses may be continued except as follows:

(1) Such use of land shall be changed only to an allowed use.

(2) When such use of land has been changed to an allowed use, it shall not thereafter revert to any prohibited use.

(3) When such use ceases for a period of at least one year, it shall not be reestablished.

(B) Reconstruction of Buildings or Built-upon Areas. Any existing building or built-upon area not in conformance with the restrictions of this ordinance that has been damaged or removed may be repaired and/or reconstructed, except that there are no restrictions on single family residential development, provided:

(1) Repair or reconstruction is initiated within twelve (12) months and completed within two (2) years of such damage.

(2) The total amount of space devoted to built-upon area may not be increased unless stormwater control that equals or exceeds the previous development is provided.

#### **Sec. 9-8-4.10 Watershed Protection Permit**

(A) Except for single family residential development, no building or built-upon area shall be erected, moved, enlarged or structurally altered, nor shall any building permit be issued nor shall any change in the use of any building or land be made until a Watershed Protection Permit has been issued by the Watershed Administrator. No Watershed Protection Permit shall be issued except in conformity with the provisions of this ordinance.

(B) Watershed Protection Permit applications shall be filed with the Watershed Administrator. The application shall include a completed application form and supporting documentation deemed necessary by the Watershed Administrator.

(C) Prior to issuance of a Watershed Protection Permit, the Watershed Administrator may consult with qualified personnel for assistance to determine if the application meets the requirements of this ordinance.

(D) A Watershed Protection Permit shall expire if a Building Permit or Watershed Occupancy Permit for



such use is not obtained by the applicant within twelve (12) months from the date of issuance.

#### **Sec. 9-8-4.11 Building Permit Required**

No permit required under the North Carolina State Building Code shall be issued for any activity for which a Watershed Protection Permit is required until that permit has been issued.

#### **Sec. 9-8-4.12 Watershed Occupancy Permit**

(A) The Watershed Administrator shall issue a Watershed Occupancy Permit (WSOP) certifying that all requirements of this ordinance have been met prior to the occupancy or use of a building hereafter erected, altered, or moved and/or prior to the change of use of any building or land.

(B) A Watershed Occupancy Permit, either for the whole or part of a building, shall be applied for coincident with the application for a Watershed Protection Permit and shall be issued or denied within ten (10) business days after the erection or structural alterations of the building. The applicant should notify the Watershed Administrator and request the issued WSOP when building is complete.

(C) When only a change in use of land or existing building occurs, the Watershed Administrator shall issue a Watershed Occupancy Permit certifying that all requirements of this ordinance have been met coincident with the Watershed Protection Permit.

(D) If the Watershed Occupancy Permit is denied, the Watershed Administrator shall notify the applicant in writing stating the reasons for denial.

(E) No building or structure which has been erected, moved, or structurally altered may be occupied until the Watershed Administrator has approved and issued a Watershed Occupancy Permit.

### **SECTION 9-8-5: PUBLIC HEALTH REGULATIONS**

#### **Sec. 9-8-5.1 Public Health, in general.**

No activity, situation, structure, or land use shall be allowed within the watershed which poses a threat to water quality and the public health, safety, and welfare.

#### **Sec. 9-8-5.2 Abatement.**

(A) The Watershed Administrator shall monitor land use activities within the watershed areas to identify situations that may pose a threat to water quality.

(B) The Watershed Administrator shall report all findings to the Watershed Review Board. The Watershed Administrator may consult with any public agency or official and request recommendations. The Watershed Administrator may also coordinate with local inspections department, since local governments can abate most threatening nuisances.

(C) Where the Watershed Review Board finds a threat to water quality and the public health, safety and welfare, the Board shall institute any appropriate action or proceeding to restrain, correct or abate the condition and/or violation.

## **SECTION 9-8-6: ADMINISTRATION, ENFORCEMENT AND APPEALS**

This article outlines a suggested procedure for the administration and enforcement of the ordinance. It provides for the appointment of a Watershed Administrator and a Watershed Review Board. An individual already employed by the County or Municipality may also assume the duties of the Watershed Administrator, just as an existing board may assume the duties of the Watershed Review Board. A local government may use other procedures; however, such procedures should be of sufficient detail to ensure adequate enforcement of the ordinance.

### **Sec. 9-8-6.1 Watershed Administrator and Duties thereof.**

The City of Claremont shall appoint a Watershed Administrator, who shall be duly sworn in. It shall be the duty of the Watershed Administrator to administer and enforce the provisions of this ordinance as follows:

(A) The Watershed Administrator shall issue Watershed Protection Permits and Watershed Occupancy Permits as prescribed herein. A record of all permits shall be kept on file and shall be available for public inspection during regular office hours of the Administrator.

(B) The Watershed Administrator shall serve as clerk to the Watershed Review Board.

(C) The Watershed Administrator is granted the authority to administer and enforce the provisions of this Ordinance, exercising in the fulfillment of his or her responsibility the full police power of the City of Claremont. The Watershed Administrator, or his duly authorized representative, may enter any building, structure, or premises, as provided by law, to perform any duty imposed upon him by this Ordinance.

(D) The Watershed Administrator shall keep records of all amendments to the local Water Supply Watershed Protection Ordinance and shall provide copies of all amendments upon adoption to the Stormwater Branch of the Division of Energy, Mineral, and Land Resources.

(E) The Watershed Administrator shall keep records of the jurisdiction's use of the provision that a maximum of ten percent (10%) of the non-critical area of WS-II, WS-III, and, WS-IV watersheds may be developed with new development at a maximum of seventy percent (70%) built-upon surface area. Records for each watershed shall include the total acres of non-critical watershed area, total acres eligible to be developed under this option, total acres approved for this development option, and individual records for each project with the following information: location, number of developed acres, type of land use and stormwater management plan (if applicable).

(F) The Watershed Administrator shall keep a record of variances to the local Water Supply Watershed Protection Ordinance.

(G) The Watershed Administrator is responsible for ensuring that Stormwater Control Measures are inspected at least once a year and shall keep a record of SCM inspections.

### **Sec. 9-8-6.2 Appeal from the Watershed Administrator**

Any order, decision, or determination made by the Watershed Administrator may be appealed to and decided by the Watershed Review Board.

An appeal from a decision of the Watershed Administrator must be submitted to the Watershed Review Board within thirty 30 calendar days from the date the order, interpretation, decision, or determination is issued. All appeals must be made in writing stating the reasons for appeal. Following submission of an appeal, the Watershed Administrator shall transmit to the Board all papers constituting the record upon which the action appealed from was taken.

An appeal stays all proceedings in furtherance of the action appealed, unless the officer from whom the appeal is taken certifies to the Board after the notice of appeal has been filed with him, that by reason of facts stated in the certificate of approval for recording, a stay would in his opinion cause imminent peril to life or property. In such case, proceedings shall not be stayed otherwise than by a restraining order which may be granted by the Board or by a court of record on application of notice of the officer from whom the appeal is taken and upon due cause shown.

All appeals of Watershed Administrator decisions shall follow the procedures for appeals of administrative decisions in GS 160D-405.

### **Sec. 9-8-6.3 Changes and Amendments to the Watershed Protection Ordinance.**

(A) The City of Claremont Governing Board may, on its own motion or on petition, after public notice and hearing, amend, supplement, change or modify the watershed regulations and restrictions as described herein.

(B) No action shall be taken until the proposal has been submitted to the Watershed Review Board for review and recommendations. If no recommendation has been received from the Watershed Review Board within forty-five (45) days after submission of the proposal to the Chairman of the Watershed Review Board, the City of Claremont Governing Board may proceed as though a favorable report had been received.

(C) Under no circumstances shall the City of Claremont Board adopt such amendments, supplements or changes that would cause this ordinance to violate the watershed protection rules as adopted by the N.C. Environmental Management Commission. All amendments must be filed with the N.C. Division of Energy, Mineral, and Land Resources.

### **Sec. 9-8-6.4 Public Notice and Hearing Required.**

Before adopting or amending this ordinance, the City of Claremont Governing Board shall hold a public hearing on the proposed changes. A notice of the public hearing shall be given once a week for two successive calendar weeks in a newspaper having general circulation in the area. The notice shall be published for the first time not less than ten (10) nor more than twenty-five (25) days before the date for the hearing.

### **Sec. 9-8-6.5 Establishment of Watershed Review Board.**

(A) There shall be and hereby is created the Watershed Review Board appointed by the City of Claremont Council. The City of Claremont Council hereby appoints the Board of Adjustment to serve as the Watershed Review Board for Claremont.

#### **Sec. 9-8-6.6 Rules of Conduct for Watershed Review Board Members.**

Members of the Board may be removed by the City of Claremont Governing Board for cause, including violation of the rules stated below:

(A) Faithful attendance at meetings of the Board and conscientious performance of the duties required of members of the Board shall be considered a prerequisite to continuing membership on the Board.

(B) No Board member shall take part in the hearing, consideration, or determination of any case in which he is personally or financially interested. A Board member shall have a "financial interest" in a case when a decision in the case will: 1) cause him or his spouse to experience a direct financial benefit or loss, or 2) will cause a business in which he or his spouse owns a 10 per cent or greater interest, or is involved in a decision-making role, to experience a direct financial benefit or loss. A Board member shall have a "personal interest" in a case when it involves a member of his immediate family (i.e., parent, spouse, or child). The intent is to prohibit members of the Board from acting in situations where they have a conflict of interest in a manner similar to the prohibition in NCGS 14-234(c)(1). Please also see NCGS 160D – 109 – standards for conflicts of interest for local government development decisions.

(C) No Board member shall discuss the substance of any appeal or other quasi-judicial case with any parties thereto prior to the public hearing on that case; provided, however, that members may receive and/or seek information pertaining to the case from the Watershed Administrator or any other member of the Board, or its secretary prior to the hearing.

(D) Members of the Board shall not express individual opinions on the proper judgement of any case prior to its determination on that case, and shall not form a fixed opinion on the case prior to the hearing on that case.

(E) Members of the Board shall give notice to the chairman at least forty-eight (48) hours prior to the hearing of any potential conflict of interest which he has in a particular case before the Board.

(F) No Board member shall vote on any matter that decides an application or appeal unless he had attended the public hearing or watched a recording of the meeting on that application or appeal.

#### **Sec. 9-8-6.7 Powers and Duties of the Watershed Review Board.**

(A) Administrative Review. The Watershed Review Board shall hear and decide appeals from any decision or determination made by the Watershed Administrator in the enforcement of this ordinance.

(B) Variances. The Watershed Review Board shall have the power to authorize, in specific cases, minor variances from the terms of this Ordinance, and may review major variance requests and make recommendations to the Environmental Management Commission regarding the same. In addition, the City of Claremont shall notify and allow 60 days for all other local governments having jurisdiction in the designated watershed where the variance is being considered.

(1) Applications for a variance shall be made on the proper form obtainable from the Watershed Administrator and shall include the following information:

(a) A site plan, drawn to a scale of at least one (1) inch to forty (40) feet,

indicating the property lines of the parcel upon which the use is proposed; any existing or proposed structures; parking areas and other built-upon areas; and surface water drainage. The site plan shall be neatly drawn and indicate north point, name and address of person who prepared the plan, date of the original drawing, and an accurate record of any later revisions.

(b) A complete and detailed description of the proposed variance, together with any other pertinent information which the applicant feels would be helpful to the Watershed Review Board in considering the application.

(c) Evidence or proposed witness testimony that tends to support a finding that each of the factors listed in subsection (B)(3), below, are met.

(2) The Watershed Administrator shall notify in writing each local government having jurisdiction in the watershed and the entity using the water supply for consumption. Such notice shall include a description of the variance being requested. Local governments receiving notice of the variance request may submit comments to the Watershed Administrator prior to a decision by the Watershed Review Board. Such comments shall become a part of the record of proceedings of the Watershed Review Board.

(3) Before the Watershed Review Board may grant a variance, it shall make the following three findings, which shall be recorded in the permanent record of the case, and shall include the factual reasons on which they are based:

(a) There are practical difficulties or unnecessary hardships in the way of carrying out the strict letter of the Ordinance. In order to determine that there are practical difficulties or unnecessary hardships, the Board must find that the five following

conditions exist:

(1) If he complies with the provisions of the Ordinance, the applicant can secure no reasonable return from, nor make reasonable use of, his property. Merely proving that the variance would permit a greater profit to be made from the property will not be considered adequate to justify the Board in granting an variance. Moreover, the Board shall consider whether the variance is the minimum possible deviation from the terms of the Ordinance that will make possible the reasonable use of his property.

(2) The hardship results from the application of the Ordinance to the property rather than from other factors such as deed restrictions or other hardship.

(3) The hardship is due to the physical nature of the applicant's property, such as its size, shape, or topography, which is different from that of neighboring property.

(4) The hardship is not the result of the actions of an applicant who knowingly or unknowingly violates the Ordinance, or who purchases the property after the effective date of the Ordinance, and then comes to the Board for relief.

(5) The hardship is peculiar to the applicant's property, rather than the result of conditions that are widespread. If other properties are equally subject to the hardship created in the restriction, then granting a variance would be a special privilege denied to others, and would not promote equal justice.

(b) The variance is in harmony with the general purpose and intent of the Ordinance and preserves its spirit.

(c) In the granting of the variance, the public safety and welfare have been assured and substantial justice has been done. The Board shall not grant a variance if it finds that doing so would in any respect impair the public health, safety, or general welfare.

(4) In granting the variance, the Board may attach thereto conditions regarding the location, character, and other features of the proposed building, structure, or use that relate to the purpose and standards of this ordinance. If a variance for the construction, alteration or use of property is granted, such construction, alteration or use shall be in accordance with the approved site plan.

(5) The Watershed Review Board shall refuse to hear an appeal or an application for a variance previously denied if it finds that there have been no substantial changes in conditions or circumstances bearing on the appeal or application.

(6) A variance issued in accordance with this Section shall be considered a Watershed Protection Permit and shall expire if a Building Permit or Watershed Occupancy Permit for such use is not obtained by the applicant within six (6) months from the date of the decision.

(7) If the application calls for the granting of a major variance, and if the Watershed Review Board decides in favor of granting the variance, the Board shall prepare a preliminary record of the hearing with all deliberate speed. The preliminary record of the hearing shall include:

- (a) The variance application;
- (b) The hearing notices;
- (c) The evidence presented;
- (d) Motions, offers of proof, objections to evidence, and rulings on them;
- (e) Proposed findings and exceptions;
- (f) The proposed decision, including all conditions proposed to be added to the permit.

The preliminary record shall be sent to the Environmental Management Commission for its review

(B) Subdivision approval. See Section 9-8-3.

(C) Public Health. See Section 9-8-5.

(D) Approval of all development greater than the low density option.

### **Sec. 9-8-6.8 Appeals from the Watershed Review Board.**

Appeals from the Watershed Review Board must be filed with the Superior Court within 30 days from the date of the Board's written decision. Decisions by the Superior Court will be in the manner of certiorari.

### **FOOTNOTES PAGE**

<sup>1</sup>House Bill 124, enacted in 1991, provides that watershed regulations may be adopted by a local government pursuant to its "general police power," to its power to adopt a land subdivision ordinance, to its zoning power, or to some combination of these powers. The model ordinance, since it has been established as a free-standing ordinance, cites the general police power statutes as its authority along with the watershed statutes. Local governments must choose which authority they wish to use and should not cite all legislative authorities because each authority has its own corresponding jurisdictional implications. Local governments should decide whether or not they intend to adopt a free-standing ordinance, or as an alternative, separate (or amendments to) zoning and subdivision ordinances. Whichever method is chosen, the appropriate authorities should be cited in this section and elsewhere in the ordinance whenever needed.

Coordination between the jurisdictions is very important. A county may enforce the watershed protection regulations for a municipality within that county if a resolution is passed by both the county and municipal governing boards.

<sup>2</sup> Statutory authority for this section is derived from N.C. General Statutes Chapter [153A][160A], Article [6][8], Section [121][174], Section [140][193] and Chapter 143-214.5.

<sup>3</sup> This section states the watershed protection ordinance will not affect existing ordinances or agreements between parties unless those ordinances or agreements are less restrictive than the watershed protection ordinance. In those situations, the watershed protection ordinance will take precedence.

<sup>4</sup> Statutory authority for this section is derived from N.C. General Statutes Chapter [153A][160A], Article [6][8], Section [121][174], Section [140][193] and Chapter 143-214.5

<sup>5</sup>Statutory authority for this section is derived from N.C. General Statutes Chapter [153A][160A], Article



[6][8], Section [121][174], Section [140][193] and Chapter 143-214.5. This article contains development regulations for each of the watershed classifications. Watersheds designated WS-V require no local government regulatory program. Local governments will only need to include the regulations corresponding to the classifications assigned to watersheds in their jurisdiction. For WS-II, WS-III and WS-IV watershed areas, the EMC rules provide for single family residential development to be controlled either by limiting built-upon area or by limiting density (dwelling units per acre). Those involved in drafting the model ordinance felt that most local units of government would find it easier to enforce single family residential requirements through density controls rather than limiting built-upon area. All other residential and non-residential development is controlled by regulating the amount of built-upon area as required by the EMC rules.