

CITY OF MARSHALL

ORDINANCE NO. 2023-O 34

AN ORDINANCE AMENDING CHAPTER 74. SUBDIVISIONS. ARTICLE IV.
MINIMUM IMPROVEMENTS. SEC. 74-115. STREET AND ALLEY
IMPROVEMENTS. STREET DESIGN SPECIFICATIONS TABLE.

ADOPTED BY THE
CITY COUNCIL
OF THE
CITY OF MARSHALL

Published in pamphlet form by authority of the City of Marshall,
Clark County, Illinois, this 28 day of August, 2023.

ORDINANCE NO. 2023-0-34

AN ORDINANCE AMENDING CHAPTER 74. SUBDIVISIONS. ARTICLE IV.
MINIMUM IMPROVEMENTS. SEC. 74-115. STREET AND ALLEY
IMPROVEMENTS. STREET DESIGN SPECIFICATIONS TABLE.

BE IT ORDAINED by the City Council of the City of Marshall,
Illinois:

Section 1. That Chapter 74. Subdivisions. Article IV.
Minimum Improvements. Sec. 74-115. Street and Alley Improvements.
Street Design Specifications Table of the Code of Ordinances, City
of Marshall, Illinois is hereby amended to read as follows on the
attached document:

Street classification	Right-of-way width (feet)	Right-of-way half street (feet)	Roadway pavement width including curb and gutter	Roadway pavement width "NO" curb and gutter	Roadway crowned transverse slope	Roadway grade min./max.	IDOT structural number	Pavement type (see below)	Curb and gutter required (see below)	Shoulder overall width (feet)	Shoulder pavement width (feet)	Shoulder pavement type	Shoulder transverse slope	Ditch depth (inch)	Ditch front/back slope ratio
-----------------------	---------------------------	---------------------------------	--	---	----------------------------------	-------------------------	------------------------	---------------------------	--------------------------------------	-------------------------------	--------------------------------	------------------------	---------------------------	--------------------	------------------------------

Non-Residential subdivisions

Major	80	40	40	n/a	3/16" per foot	0.4%/8.0%	3.00 min.	Case by case	yes	n/a	n/a	n/a	n/a	n/a	n/a
Arterial	60	30	28	n/a	3/16" per foot	0.4%/8.0%	3.00 min.	Case by case	yes	n/a	n/a	n/a	n/a	n/a	n/a
Alley	20	n/a	16	n/a	3/16" per foot	0.4%/8.0%	3.00 min.	Case by case	yes	n/a	n/a	n/a	n/a	n/a	n/a

Residential Subdivisions

Lot sizes less than 20,000 square feet															
Minor/collector	60	30	28	24	3/16" per foot	0.4%/8.0%	2.65	a, b, c, d	yes	n/a	n/a	n/a	n/a	n/a	n/a
Minor/local	60	30	28	24	3/16" per foot	0.4%/8.0%	2.65	a, b, c, d	yes	n/a	n/a	n/a	n/a	n/a	n/a
Minor/Cul-de-sac	60	30	n/a	24	3/16" per foot	0.4%/8.0%	1.42	re	no	n/a	n/a	n/a	n/a	18	4:1
Alley	38	n/a	n/a	12	3/16" per foot	0.4%/8.0%	0.78	s	no	n/a	n/a	n/a	n/a	18	4:1

Lot sizes more than 20,000 square feet

Minor/collector	66	33	n/a	24	3/16" per foot	0.4%/8.0%	2.65	a, b, c, d	no	8	4	s	1/2" per foot	18	4:1
Minor/local	66	33	n/a	24	3/16" per foot	0.4%/8.0%	2.65	a, b, c, d	no	9	4	s	1/2" per foot	18	4:1
Minor/Cul-de-sac	60	30	n/a	24	3/15" per foot	0.4%/8.0%	1.42	re	no	4	2	s	1/2" per foot	18	4:1
Alley	38	n/a	n/a	12	3/16" per foot	0.4%/8.0%	0.78	s	no	n/a	n/a	n/a	n/a	18	4:1

Residential estates subdivision

Minor	60	30	n/a	24	3/16" per foot	.04%/8.0%	1.42	re	no	4	2	s	1/2" per foot	18	4:1
-------	----	----	-----	----	----------------	-----------	------	----	----	---	---	---	---------------	----	-----

PAVEMENT TYPES:

<p>a</p>	<p>1.5" surface course; Mix C, Class 1, Type 2 2.5" Binder Course, Mix B, Class 1, Type 2 8" Sub-Base Crushed Stone, Type A Woven or nonwoven pavement fabric</p>	<p>d</p>	<p>6" P.C. concrete pavement 4" Sub-Base Crushed Stone, Type A Woven or nonwoven pavement fabric</p>	<p>Curb and gutter required if stormsewers exist or lot size less than 20,000 square feet; IDOT Standard 606001 or its successor, excluding type B curb. Residential subdivisions may use city standard for roll-type concrete curb and gutter detail CCST6 in Exhibit A.</p>
<p>b</p>	<p>1.5" Surface Course; Mix C, Class 1, Type 2 1.5" Binder Course; Mix B, Class 1, Type 2 8" Emulsified Asphalt Base</p>	<p>re</p>	<p>Bituminous Surface Treatment Class A-3 8" Sub-Base Crushed Stone, CA-6 4" Sub-Base Crushed Stone, CA-2</p>	<p>Curb and gutter</p>
<p>c</p>	<p>6" P.C. Concrete pavement 12" Lime Modified Soil Base (40# lime/S1)</p>	<p>s</p>	<p>6" Crushed Stone, Type B Woven or nonwoven pavement fabric</p>	<p>Curb and gutter</p>

Section 2. If any provision of this Ordinance, or application thereof, is held invalid by any Court, other provisions or applications of this Ordinance which can be given effect without the invalid provision or application shall not be affected, and to this end the provisions of this Ordinance are declared to be severable.

Section 3. That this Ordinance shall take effect ten (10) days after its passage and approval as provided by law.

	<u>AYES</u>	<u>NAYS</u>	<u>ABSENT</u>
Michael Smitley		✓	
Warren J. Le Fever	✓		
Vickie Wallace	✓		
Jarod Green	✓		
Josh Sanders	✓		
Robert Nelson	✓		
Foster Propst	✓		✓
Rob Knott	✓		

PASSED this 28 day of August, 2023.

APPROVED this 28 day of August, 2023.



 MAYOR

ATTESTED, filed in my office,
 and published in pamphlet form
 this 28 day of August 2023.



 CITY CLERK

(SEAL)