

AN ORDINANCE LAYING OUT AND ADOPTING STREETS,
 AVENUES AND ALLEYS IN THE BOROUGH OF YOE, YORK
 COUNTY, PA., TO WIT: MAIN STREET, BROAD STREET,
 CHURCH AVENUE, PENN'A AVENUE (EAST SIDE), PENN'A
 AVENUE CROSSING, PENN'A AVENUE (WEST SIDE),
 BOUNDARY AVENUE (EAST), SOUTH GEORGE STREET,
 NORTH GEORGE STREET, HIGH STREET, WATER STREET,
 STATION AVENUE, MAPLE STREET, MASON ALLEY, CENTRE
 ALLEY, CLARK ALLEY, HOWARD ALLEY (SOUTH), CHARLES
 ALLEY, SOUTH GAY ALLEY, NORTH GAY ALLEY, HOWARD
 ALLEY, NORTH, AND MYRTLE ALLEY.

SECTION 1. Be it enacted and ordained by the Chief Burgess and
 Town Council of the Borough of Yoe, and it is hereby enacted and ordained
 by authority of the same, that the hereafter named Streets, Avenues and
 Alleys in said Borough, be laid out and adopted as follows, to wit:

MAIN STREET. Beginning for the centre line thereof at a stone
 planted in the Borough line, on the southern boundary of said Borough:
 thence North 13 degrees and 20 minutes, East 254.6 feet to a stone,
 thence North 6 degrees and 36 minutes, East 172 feet to a stone, at the
 intersection of Broad street, thence on the same course 32.2 feet to a
 stone, thence North 44 degrees and 18 minutes, East 488.5 feet to a stone,
 thence North 73 degrees and 52 minutes, East 19 feet to a stone at the
 intersection of Station avenue, thence on the same course 55.4 feet to
 a stone at the Railroad crossing, thence North 51 degrees and 07 minutes,
 East 121.2 feet to a stone at the intersection of Centre alley, thence
 on the same course 14 feet to a stone at the intersection of Water street,
 thence on the same course 245.4 feet to a stone in the centre of North
 George Street, thence on the same course 135.6 feet to a stone at the
 intersection of Church avenue, said Main street to be of a uniform width
 of 28 feet, with a sidewalk on each side of said street 5 feet wide,
 making the entire width of street and sidewalk 38 feet, thence from the
 stone at the intersection of Church avenue North 9 degrees, East 79.5
 feet to a stone at the intersection of South Gay alley, thence on the
 same course 14.3 feet to a stone, thence North 45 degrees and 06 minutes,
 East 200 feet to a stone at the intersection of High street, thence on
 the same course 198.8 feet to a stone, thence North 54 degrees and 50
 minutes, East to a stone planted on the Borough line on the northern
 boundary of said Borough, said Main street to be of a uniform width of
 30 feet from the intersection of Church street, with a sidewalk 5 feet
 wide on each side of the street, making the entire width of street and
 sidewalks 40 feet from said Church avenue to the Borough line.

BROAD STREET. Beginning for the centre line thereof at a stone planted in the middle of Main street, thence north $38\frac{3}{4}$ degrees, west 329 feet to a stone at the intersection of Mason alley, thence on the same course to a stone at the intersection of Maple street $258\frac{1}{2}$ feet, thence, north 40 degrees, west 336.8 feet to a stone in said Broad street, said street to be of a uniform width of 36 feet, with a sidewalk on each side of said street 5 feet wide making the entire width of street and sidewalks 46 feet.

CHURCH AVENUE. Beginning for the centre line thereof at a stone planted in the middle of Main street, thence south 9 degrees, east 114.5 feet to a stone, thence south 34 degrees and 22 minutes, east 72.8 feet to a stone at the intersection of South George street, thence on the same course to a stone at the intersection of Clark alley 118.3 feet, thence on the same course to a stone at the intersection of Centre Alley 85.5 feet, thence on the same course to a stone in the middle of Penna. avenue (east side) said Church avenue to be of a uniform width of 25 feet with a sidewalk on each side of said avenue 5 feet wide making the entire width of said avenue and sidewalks 35 feet.

PENNA AVENUE (EAST SIDE). Beginning for the centre line thereof at a stone planted in the middle of Church Ave. thence South $62\frac{1}{2}$ degrees east, 57 feet to a stone at the intersection of the Penna Ave. Crossing, thence on the same course 300.7 feet to a stone at the intersection of Howard alley, thence on the same course 265.6 feet to a stone at the intersection of Charles alley, thence on the same course 267.5 feet to a stone in the middle of East Boundary Ave., said Penna Ave (East Side) to be of a uniform width of 22 feet with a side walk on the north side of 5 feet wide, making the entire width of street and sidewalk 27 feet.

PENNA AVENUE CROSSING. Beginning for the centre line thereof at a stone planted in the middle of Penna Ave. (East side), thence south $32\frac{3}{4}$ west to a stone planted in the middle Penna Ave (West side) 81.1 feet, said Penna Ave Crossing to be of a uniform width of 25 feet with a sidewalk on each side 5 feet wide, making entire width of street and sidewalks 35 feet.

PENNA AVENUE (WEST SIDE). Beginning for the centre line thereof at a stone planted in the middle of Penna Ave crossing, thence south $66\frac{1}{2}$ degrees, east 306.3 feet at the intersection of Howard alley (not surveyed) thence on the same course 69.2 feet to a stone, thence south $58\frac{1}{2}$ degrees, east 377.6 feet to a stone planted in the middle of Boundary Ave. (east), said Penna Ave. (west side) to be of a uniform width of 16 feet, with a sidewalk 5 feet wide on the south side of said street making entire width of street and sidewalk 21 feet.

BOUNDARY AVENUE. Beginning for the centre line thereof at a stone planted in the middle of Penna Ave. (west side), thence north 77 degrees, east $120\frac{1}{2}$ feet to a stone, at the intersection of Penna Ave. (east side) thence north 72 degrees, east 267.2 feet to a stone, thence north 34 degrees and 37 minutes, east 46 feet to a stone at the intersection of South George street, said Boundary Ave. (east) to be of a uniform width of 22 feet with a sidewalk on the north side 5 feet wide making the entire width of street and sidewalk 27 feet.

SOUTH GEORGE STREET. Beginning for the centre line thereof, at a stone planted in the middle of Boundary Ave (east) thence north 61 degrees, west 105.4 feet to a stone at the intersection of Church Ave. thence on the same course 46.4 feet to a stone in the middle of said South George street, said street to be of a uniform width of 30 feet with a sidewalk 5 feet wide on the north side of said street, making the entire width of street and sidewalk 35 feet.

NORTH GEORGE STREET. Beginning for the centre line thereof at a stone planted in the middle and at the end of South George street, thence north 32 degrees, west 72.3 feet to a stone at the intersection of Main street, thence on the same course 222 feet to a stone, thence north $59\frac{1}{2}$ degrees west 92 feet to a stone in the middle of said street, said street to be of a uniform width of 25 feet, with a sidewalk on each side of said street 5 feet wide, making the entire width of street and sidewalk 35 feet.

HIGH STREET. Beginning for the centre line thereof at a stone planted in the middle of Main street, thence south 44 degrees and 46 minutes, east 185.7 feet to a stone at the intersection of Myrtle alley, thence on the same course 234.7 feet to a stone at the intersection of Howard alley, said street to be of a uniform width of 40 feet with a sidewalk 5 feet wide on each side making the entire width of street and sidewalks 50 feet.

WATER STREET. Beginning for the centre line thereof at a stone planted in the middle of Main street, thence north 41 degrees and 08 minutes, west 294.4 feet to a stone at the intersection of Mason alley, said Water street to be of a uniform width of 21 feet, with a sidewalk on each side 4 feet wide, making entire width of street and sidewalks 29 feet, thence from the stone at the intersection of Mason alley north 41 degrees and 08 minutes, west 437.5 feet to a stone in the middle of said street, the entire width of said street from Mason alley to be 29 feet and no sidewalks.

STATION AVENUE. Beginning for the centre line thereof at a stone planted in the middle of Main street, thence north 46 degrees and 37 minutes, west 287 1/2 feet to a stone, at the intersection of Mason alley, thence north 38 1/2 degrees, west 269.6 feet to a stone at the intersection of Maple street, thence north 41 3/4 degrees, west 349.7 feet to a stone in said avenue, the entire width of said avenue to be 20 feet.

MAPLE STREET. Beginning for the centre line thereof at a stone planted in the middle of Station Ave., south 54 degrees, west 183 feet to a stone at the intersection of Broad street, thence on the same course 166.3 feet to a stone in the middle of said street, said Maple street to be of a uniform width of 22 feet with a sidewalk on each side 5 feet wide, making the entire width of street and sidewalks 32 feet.

MASON ALLEY. Beginning for the centre line thereof at a stone planted in the middle of Water street, thence south 52 3/4 degrees, west 217.5 feet to a stone at the intersection of Station Ave. thence on the same course 182.8 feet to a stone at the intersection of Broad Street, thence on the same course 177.5 feet to a stone in said alley, said Mason alley to be of a uniform width of 18 feet.

CENTRE ALLEY. Beginning for the centre line thereof at a stone planted in the middle of Main street, thence south 59 degrees 37 minutes east 188 feet to a stone planted in Church Ave. said alley to be of a uniform width of 19 feet.

CLARK ALLEY. Beginning for the centre line thereof at a stone planted in the middle of Church street, thence south 64 1/2 degrees, east 346.1 feet to a stone at the intersection of Howard alley, thence on the same course 253.9 feet to a stone at the intersection of Charles alley, said Clark alley to be of a uniform width of 14 feet.

CHARLES ALLEY. Beginning for the centre line thereof at a stone planted in the middle of Penna Ave (East side), thence north 28 1/2 degrees, east 165 feet to a stone at the intersection of Clark alley, said Charles Alley to be of a uniform width of 18 feet.

HOWARD ALLEY (SOUTH). Beginning for the centre line thereof at a stone planted in the middle of Penna Ave (East side), thence north 28 3/4 degrees, east 154.4 feet to a stone at the intersection of Clark Alley, said Howard alley to be of a uniform width of 18 feet.

NORTH GAY ALLEY. Beginning for the centre line thereof at a stone planted in the middle of Main street, thence north 42 1/2 degrees, west 326.4 feet to a stone in the middle of said alley, said alley to be of a uniform width of 18 feet.

SOUTH GAY ALLEY. Beginning for the centre line thereof at a stone planted in the middle of Main street, thence south 44 degrees and 46 minutes, east 179.8 feet to a stone at the intersection of Myrtle alley, thence on the same course 234.7 feet to a stone at the intersection of Howard alley, said South Gay alley to be of a uniform width of 18 feet.

HOWARD ALLEY (NORTH). Beginning for the centre line thereof at a stone planted in the middle of High street, thence south 44 degrees and 59 minutes, west 209 feet to a stone at the intersection of South Gay alley, said Howard alley to be of a uniform width of 18 feet.

MYRTLE ALLEY. Beginning for the centre line thereof at a stone planted in the middle of High street, thence south 44 degrees and 59 minutes, west 209 feet to a stone at the intersection of South Gay alley, said Myrtle alley to be of a uniform width of 18 feet.

Enacted and ordained this 15th day of December, A. D. 1894.

President of Council.

B. F. Keller,
Chief Burgess.

J. S. Clay,
Borough Secretary.

PART

CLOSING CHURCH STREET

An Ordinance of the Borough of Yoe, providing for the vacation and closing of that part of Church Street on the original Borough plan between the Northern line of George Street and the Eastern line of Main Street.

Be it enacted and ordained by the burgess and town council of the Borough of Yoe and it is hereby enacted and ordained that all that part of Church Street in said borough as laid out and appearing on the original plan thereof between the northern line of George Street and the eastern line of Main Street be and the same is hereby vacated and closed.

This ordinance shall take effect on the first day of May, A.D., 1895.

B.F. KELLER,
Chief Burgess.

W.E. SNYDER,
Secretary.

HOWARD ALLEY (NORTH). Beginning for the centre line thereof at a stone planted in the middle of High street, thence south 44 degrees and 59 minutes, west 209 feet to a stone at the intersection of South Gay alley, said Howard alley to be of a uniform width of 18 feet.

MYRTLE ALLEY. Beginning for the centre line thereof at a stone planted in the middle of High street, thence south 44 degrees and 59 minutes, west 209 feet to a stone at the intersection of South Gay alley, said Myrtle alley to be of a uniform width of 18 feet.

Enacted and ordained this 15th day of December, A. D. 1894.

President of Council.

B. F. Keller,
Chief Burgess.

J. S. Clay,
Borough Secretary.

PART

CLOSING CHURCH STREET

An Ordinance of the Borough of Yoe, providing for the vacation and closing of that part of Church Street on the original Borough plan between the Northern line of George Street and the Eastern line of Main Street.

Be it enacted and ordained by the burgess and town council of the Borough of Yoe and it is hereby enacted and ordained that all that part of Church Street in said borough as laid out and appearing on the original plan thereof between the northern line of George Street and the eastern line of Main Street be and the same is hereby vacated and closed.

This ordinance shall take effect on the first day of May, A.D., 1895.

B.F. KELLER,
Chief Burgess.

W.E. SNYDER,
Secretary.

PART

CHANGING WIDTH OF BROAD STREET

Changing width of Broad Street and Side-walks thereon.

Be it enacted and ordained by the Chief Burgess and Town Council, of the Borough of Yoe, and it is hereby enacted and ordained by authority of the same. That owing to the request of citizens on Broad Street. That the width of said street be changed from 36 feet to 33 feet, and that the side-walks be changed from 5 feet to 6 feet sidewalks. That therefore the street ordinance as it stands, be changed to conform with the above modification as above, and that no other street or sidewalk be affected by this ordinance.

Enacted and ordained this 2nd day of September 1895.

President of Town Council

W.E. SNYDER, Secretary.

B.F. KELLER, Chief Burgess.

AN ORDINANCE APPROPRIATING THE SUM OF FIVE HUNDRED DOLLARS (\$500.00), OR SO MUCH THEREOF AS SHALL BE NECESSARY, TO THE CITIZENS FIRE AND HOSE COMPANY, OF YOE, PA., FOR THE PURCHASE OF HOSE FOR SAID COMPANY.

Be it enacted and ordained by the Council of the Borough of Yoe, and it is hereby enacted and ordained by the authority of the same, that the sum of Five Hundred Dollars (\$500.00), or so much thereof as shall be necessary, is hereby appropriated to the Citizens Fire and Hose Company, of Yoe, Pa., for the purchase of hose for said company.

Enacted and ordained this first day of January, A. D., 1900.

G. S. Snyder,

President of Council.

Attest:

R. S. Stabley,
Secretary.

January 1, 1900, approved.

Albert Shenberger, Chief Burgess.

PART

CHANGING WIDTH OF BROAD STREET

Changing width of Broad Street and Side-walks thereon.

Be it enacted and ordained by the Chief Burgess and Town Council, of the Borough of Yoe, and it is hereby enacted and ordained by authority of the same. That owing to the request of citizens on Broad Street. That the width of said street be changed from 36 feet to 33 feet, and that the side-walks be changed from 5 feet to 6 feet sidewalks. That therefore the street ordinance as it stands, be changed to conform with the above modification as above, and that no other street or sidewalk be affected by this ordinance.

Enacted and ordained this 2nd day of September 1895.

President of Town Council

W.E. SNYDER, Secretary.

B.F. KELLER, Chief Burgess.

AN ORDINANCE APPROPRIATING THE SUM OF FIVE HUNDRED DOLLARS (\$500.00), OR SO MUCH THEREOF AS SHALL BE NECESSARY, TO THE CITIZENS FIRE AND HOSE COMPANY, OF YOE, PA., FOR THE PURCHASE OF HOSE FOR SAID COMPANY.

Be it enacted and ordained by the Council of the Borough of Yoe, and it is hereby enacted and ordained by the authority of the same, that the sum of Five Hundred Dollars (\$500.00), or so much thereof as shall be necessary, is hereby appropriated to the Citizens Fire and Hose Company, of Yoe, Pa., for the purchase of hose for said company.

Enacted and ordained this first day of January, A. D., 1900.

C. S. Snyder,

President of Council.

Attest:

R. S. Stabley,
Secretary.

January 1, 1900, approved.

Albert Shenberger, Chief Burgess.