

CITY OF BEDFORD, OHIO

ORDINANCE NO. 026-26

AN ORDINANCE AUTHORIZING THE CITY MANAGER TO ENTER INTO A CONTRACT WITH VALLEY FORD TRUCK CENTERS FOR THE PURCHASE OF A 2026 FORD F-450 SD REGULAR CAB TRUCK FOR THE SERVICE DEPARTMENT AND DECLARING AN EMERGENCY

WHEREAS, the Service Director wishes to purchase a 2026 Ford F-450 SD regular cab truck for the Service Department, which will replace a 2002 GMC dump truck, and it has been budgeted, and

WHEREAS, the Administration recommends said purchase from Valley Ford Truck Centers pursuant to Sourcewell Contract No. 081325.

NOW, THEREFORE, BE IT ORDAINED by the Council of the City of Bedford, County of Cuyahoga, and the State of Ohio:

Section 1. The Council of the City of Bedford authorizes the City Manager to enter into a contract with Valley Ford Truck Centers for the purchase of a 2026 F-450 SD Regular Cab Truck in the amount of **One Hundred Twenty-Eight Thousand Eight Hundred Thirty-Six Dollars and Fifty-Two Cents (\$128,836.52)** for the purchase of said Ford F-450 4X4 SD Regular Cab Truck for the Service Department

Section 2. The Council of the City of Bedford authorizes the Finance Director to appropriate and pay **Valley Ford Truck Centers** for the purchase of said Ford F-450 4X4 SD Regular Cab Truck pursuant to the terms of the contract.

Section 3. That the actions of this Council concerning and relating to the passage of this legislation were adopted in an open meeting of this Council and that all deliberations of this Council and of any of its committees that resulted in such formal action were in meetings open to the public, in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.

Section 4. This Ordinance is declared to be an emergency measure immediately necessary for the public peace, health, safety, and welfare, and for the further reason that it is necessary to purchase to avoid a price increase and continue efficient operations.


WHEREFORE, this Ordinance shall take effect and be in force from and after the earliest date allowed by law.

CITY OF BEDFORD, OHIO

ORDINANCE NO. 026-26



Stanley C. Koci, Mayor-President of Council



Tracy M. Simons, CMC, Clerk of Council

Prepared and approved as to legal content by: _____



John J. Montello, Law Director

PASSED: April 6, 2026

FAILED: _____

VALLEY TRUCK CENTERS



Date: Wednesday, March 25, 2026
Client: City of Bedford
Contact: Rick Gromovsky
Phone: (440) 735-6586
Email: rgromovsky@bedfordoh.gov
CONTRACT Sourcewell 081325

Complete	\$57,874.52
delivery	\$275.00
Q17646.2.16.26	\$70,687.00
Total	\$128,836.52

Hi Rick,

Attached are the specifications for the F450 4x4 chassis. Current build timing is approximately 16 weeks from receipt of purchase order for the chassis, the equipment will be an additional 10-25 weeks.

Due to the continued delays with equipment installs, the City will be billed for the chassis once it arrives to the body company with normal 30 day net terms. The balance will be billed at time of delivery.

I will call to follow up but please feel free to call me at (216)524-2400.

Regards

Jenny Loveland
Government Sales Director
Valley Truck Center
Ford, Chevy, Ram, Dodge, Chrysler, Jeep
Freightliner, Western Star, Hino, Isuzu
(216)524-2400 office
(216)570-4179 mobile

(***) All cost increases for major components and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices and applicable equipment providers pricing.

FLEET MAINTENANCE COUNCEL OF NEO
NORTHEAST OHIO SERVICE DIRECTORS
OHIO TOWNSHIP ASSOCIATION
VENDOR STATE OF OHIO
MEMBER KIWANIS INTERNATIONAL
MEMBER INTERNATIONAL SOCIETY OF FEMALE PROFESSIONALS

Due to worldwide commodity shortages and market instability, dealer is not responsible for any change in production or pricing from manufacturer or aftermarket equipment supplier.

Prepared for: RICK GROMOVSKY
CITY OF BEDFORD
Prepared by: Jenny Loveland
02/03/2026



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2026 F-450 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F4H)

Price Level: 635

As Configured Vehicle Description

Base Vehicle Price (F4H)

Order Code 650A

Includes:

- Engine: 7.3L 2V DEVCT NA PFI V8 Gas
- Transmission: TorqShift 10-Speed Automatic
Includes SelectShift, selectable drive modes: normal, tow/haul, eco, slippery roads and off-road and transmission power take-off provision.
- GVWR: 16,500 lb Payload Package
- Tires: 225/70R19.5G BSW A/P
- Wheels: 19.5" x 6" Argent Painted Steel
Hub covers/center ornaments not included.
- HD Vinyl 40/20/40 Split Bench Seat
Includes center armrest, cupholder, storage and driver's side manual lumbar.
- Radio: AM/FM Stereo w/MP3 Player
Includes 4 speakers.
- SYNC 4
Includes 8" center display, wireless phone connection, cloud connected, AppLink with app catalog, 911 Assist, Apple CarPlay and Android Auto compatibility and digital owner's manual.
- Ford Connectivity Package (1-Year Included)
Includes unlimited Wi-Fi hotspot. Included for 1-year from warranty start date. Requires activation via Ford app with credit card authorization; customer may cancel at any time. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features. Ford may temporarily slow data speeds if such data usage reaches or exceeds 50GB within a billing cycle or due to network limitations. If a customer uses more than 50% of their data usage in a roaming country during a 60-day period, Ford may remove or limit the customer's data plan.

Engine: 7.3L 2V DEVCT NA PFI V8 Gas

Transmission: TorqShift 10-Speed Automatic

Includes SelectShift, selectable drive modes: normal, tow/haul, eco, slippery roads and off-road and transmission power take-off provision.

Limited Slip w/4.88 Axle Ratio

GVWR: 16,500 lb Payload Package

Tires: 225/70R19.5G BSW A/P

Wheels: 19.5" x 6" Argent Painted Steel

Hub covers/center ornaments not included.

HD Vinyl 40/20/40 Split Bench Seat

Includes center armrest, cupholder, storage and driver's side manual lumbar.

Monotone Paint Application

145" Wheelbase

Radio: AM/FM Stereo w/MP3 Player

Includes 4 speakers.

Includes:

- SYNC 4
Includes 8" center display, wireless phone connection, cloud connected. AppLink with app catalog, 911 Assist, Apple CarPlay and Android Auto compatibility and digital owner's manual.
- Ford Connectivity Package (1-Year Included)

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: RICK GROMOVSKY

CITY OF BEDFORD

Prepared by: Jenny Loveland

02/03/2026



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2026 F-450 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F4H)

Price Level: 635

As Configured Vehicle (cont'd)

Description

Includes unlimited Wi-Fi hotspot. Included for 1-year from warranty start date. Requires activation via Ford app with credit card authorization; customer may cancel at any time. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features. Ford may temporarily slow data speeds if such data usage reaches or exceeds 50GB within a billing cycle or due to network limitations. If a customer uses more than 50% of their data usage in a roaming country during a 60-day period, Ford may remove or limit the customer's data plan.

Snow Plow Prep Package

Includes pre-selected springs (see order guide supplemental reference for springs/GAWR of specific vehicle configurations). Note 1: Restrictions apply; see supplemental reference or body builders layout book for details. Note 2: Also allows for the attachment of a winch. Note 3: Highly recommended to add (66A) dual battery on 7.3L gas engine. Adding (67B) 410 amp dual alternators for diesel engine is highly recommended for max power output.

Dual 68 AH/65 AGM Battery

410 Amp Dual Alternators

Includes 250 Amp + 160 Amp.

Platform Running Boards

Rear View Camera & Prep Kit

Pre-installed content includes cab wiring and frame wiring to the rear most cross member. Upfitters kit includes camera with mounting bracket, 20' jumper wire and camera mounting/aiming instructions.

Trailer Brake Controller

Fleet Customer Powertrain Limited Warranty

Requires valid FIN code.

Ford is increasing the 5-year 60,000-mile limited powertrain warranty to 6-years, 100,000 miles. Only Fleet purchasers with a valid Fleet Identification Number (FIN code) will receive the extended warranty. When the sale is entered into the sales reporting system with a sales type fleet along with a valid FIN code, the warranty extension will automatically be added to the vehicle. The extension will stay with the vehicle even if it is subsequently sold to a non-fleet customer before the expiration. This extension applies to both gas and diesel powertrains. Dealers can check for the warranty extension on eligible fleet vehicles in OASIS. Please refer to the Warranty and Policy Manual section 3.13.00 Gas Engine Commercial Warranty. This change will also be reflected in the printed Warranty Guide distributed with the purchase of every new vehicle.

50-State Emissions System

Oxford White

Medium Dark Slate w/HD Vinyl 40/20/40 Split Bench Seat

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

City of Bedford
Galion 103USD-9 Stainless Steel Dump Body q1773203172026
108"L x 84"W, 18" sides, 24" ends
3.5-4.7 cu. yd. capacity
Est. Body weight is 1,530 lbs.
6" structural channel longmembers
3" structural channel crossmembers
Cast stainless steel quick release upper tailgate hardware
Cast stainless steel overshot lower tailgate hardware
Manual tailgate release handle
Three panel D/A tailgate with long chains and banjo plates
Fully boxed top rail, material shedding lower rubrail
Two intermediate vertical braces per side
Body shell constructed of 10 ga. 304 #4 stainless steel
Floor is 10 ga. mill finish stainless steel with 2" floor to side radius
LED cab shield marker lights, side marker lights, and S/T/T lighting
ICC cluster lights to comply with FMVSS108
Customer requests no marker lighting on cab shield
Body options included:
1/2 x 84" wide cab protector
(4) Stainless steel shovel holders - (2) per side, mounted to vertical side braces, staggered
RC Industries 18" x 18" x 30" stainless steel toolbox, curbside
Fleet Engineers poly fender set w/ stainless steel mounts
12V heavy duty wiring w/ plugs & caps routed to rear of chassis near ICC
LED cluster bracket
Champion CS615-09 hoist, 12.8 ton capacity
Est. Hoist weight is 500 lbs.
6" cylinder bore, 15" stroke, double-acting
Force America central hydraulic system to operate dump hoist, plow, & spreader
Chelsea 210 series 144% hot shift PTO & pump combo
25 gallon stainless steel hydraulic oil reservoir w/ valve enclosure
Hoses to be insulated to reduce noise during operation
Full port 2" brass ball valve
Temp/level sender w/ slosh shield
1/2" stainless steel spreader couplers w/ stainless steel mounting plates
3/8" stainless steel plow couplers w/ crossover relief valve and anti-drift valve
Plow anti-drift valve wired to PTO "hot"
Wescon cable controls for dump body and plow
See example on file for lever layout in cab
Controls to be pedestal mounted, facing driver, within easy reach
5100ex electric proportional spreader controller
FA512 granular feedback sensor installed on spreader
1/2" hitch plate / side channel ICC bumper
D-rings, 7-way round pin trailer plug
8 ton pintle / 2" ball combination hitch

Warning Lights

(2) Whelen 5GA grommet mount oval LED (Amber) rear facing in cab shield light boxes

Whelen L31HAF 360 degree beacon and L360BGB brush guard kit, roof mounted

Western 9' Snow Plow - Municipal

Model: Pro Plus

Length: 9'

Height: 31-1/2"

Width at Full Angle: 7' 9"

Moldboard: 12 ga. steel

Snow Deflector: Western 10" rubber

Trip Mechanism: Full moldboard trip

Vertical Ribs: 8

Trip springs: 4

Shock Absorbers: 2

Cutting Edge: 1/2" x 6"

Angling Rams: 1-1/2" x 12"

Lift Cylinder: 1-1/2" x 8"

Headlights: Halogen

Power Supply: Central hydraulic

Control: (2) single axis cable levers

Weight: 858 lb.

Hi-Way 9' Hopper Spreader

Model: Super P Medium Duty Spreader

Capacity: 3.0 cu. yd. 60" wide x 39" tall

Construction: Unpainted 304 Stainless steel

Approx. Weight (Empty): 995 lb.

Motor: Dual hydraulic, variable speed

Material Delivery: Pintle chain conveyor w/ 3/4" x 3/4" bars 5" o. c.

Spinner: Heavy duty w/ (6) baffles

Misc: HD top mounted screen, hanging stainless steel inverted "V", ratchet strap tie-down kit, stainless steel tailgate latch bar, 4" clear LED spinner light streetside wired to ign. "hot" upfitter switch

Prepared for: RICK GROMOVSKY

CITY OF BEDFORD

Prepared by: Jenny Loveland

02/03/2026



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2026 F-450 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F4H)

Price Level: 635

Selected Equip & Specs

Dimensions

- Conventional Capacity: 17,500 lbs.
- Fifth-wheel towing capacity: 21,700 lbs.
- Front brake diameter: 15.4"
- Vehicle body length: 230.7"
- Vehicle body height: 82.4"
- Vehicle turning radius: 21.2'
- Rear track: 74.0"
- Rear tire outside width: 93.9"
- Frame section modulus: 12.7 cu.in.
- Frame rail width: 34.2"
- Front bumper to back of cab: 123.7"
- Max interior rear cargo volume: 11.6 cu.ft.
- Headroom first-row: 40.8"
- Shoulder room first-row: 66.7"
- GCWR: 30,000 lbs.
- Gooseneck towing capacity: 21,900 lbs.
- Rear brake diameter: 15.8"
- Vehicle body width: 80.0"
- Wheelbase: 145.0"
- Front track: 74.8"
- Cab to axle: 60.0"
- Axle to end of frame: 47.2"
- Frame yield strength (psi): 50000.0
- Front bumper to front axle: 38.3"
- Interior rear cargo volume: 11.6 cu.ft.
- Total passenger volume: 64.6 cu.ft.
- Leg room first-row: 43.9"
- Hip room first-row: 62.5"

Powertrain

- Spark Ignition system
- Engine cylinders: V-8
- Horsepower: 335 HP@3750 RPM
- Radiator
- 10-speed automatic
- Four-wheel drive
- Recommended fuel: regular unleaded
- Electronic transfer case shift
- Auto locking hub control
- 7.3L V-8 DEVCT variable valve control, engine with 335HP
- Injection Type: sequential MPI
- Torque: 468 lb.-ft.@3750 RPM
- Auxiliary power take-off
- Part-time 4WD
- Two-Speed Transfer Case
- Driveline managed traction control
- Mechanical limited slip differential

Fuel Economy and Emissions

- Gasoline secondary fuel type
- Federal emissions

Suspension and Handling

- Firm ride suspension
- Heavy-duty rear shock absorbers
- Heavy-duty front shock absorbers

Driveability

- 4-wheel disc brakes
- 4-wheel antilock (ABS) brakes
- Brake assist system
- Mono-beam rigid axle front suspension
- Front coil springs
- Front and rear ventilated disc brakes
- Four channel ABS brakes
- Hill Start Assist
- Front anti-roll bar
- DANA M300 rigid axle rear suspension

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: RICK GROMOVSKY

CITY OF BEDFORD

Prepared by: Jenny Loveland

02/03/2026



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2026 F-450 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F4H)

Price Level: 635

Selected Equip & Specs (cont'd)

- Rear anti-roll bar
- Hydraulic power-assist steering system
- 2-wheel steering system
- Leaf spring rear suspension
- Re-circulating ball steering

Body Exterior

- Trailer wiring harness
- 2 doors
- Black fender flares
- Black door handles
- Black front bumper
- Black front bumper rub strip
- Convex spotter in driver and passenger side door mirrors
- Turn signal indicator in door mirrors
- LT225/70RS19.5 AS BSW front and rear tires
- Running boards
- Monotone paint
- Black side window trim
- Black windshield trim
- 2 front tow hooks
- Black grille
- Manual extendable trailer mirrors
- Black door mirrors
- 19.5 x 6-inch front and dual rear argent steel wheels

Convenience

- Power door locks with 2 stage unlocking
- All-in-one remote fob and ignition key
- Cruise control with steering wheel mounted controls
- Power first-row windows
- Front beverage holders
- 6 beverage holders
- Dashboard storage
- Trip computer
- Over the air updates
- Keyfob activated door locks
- Auto-locking doors
- Day/Night rearview mirror
- Fixed rear windshield
- Locking glove box
- Instrument panel covered bin
- Retained accessory power
- Upfitter switches
- PRND In IP

Comfort

- Manual climate control
- Cloth headliner material
- Full vinyl floor covering
- Urethane steering wheel
- Manual telescopic steering wheel
- Cabin air filter
- Full headliner coverage
- Full floor coverage
- Manual tilting steering wheel

Seats and Trim

- Seating capacity: 3
- Driver seat with 4-way directional controls
- Height adjustable front seat head restraints
- Split-bench front seat
- Front seat armrest storage
- Manual driver seat fore/aft control
- 40-20-40 split-bench front seat
- Front passenger seat with 4-way directional controls
- Manual front seat head restraint control
- Front seat center armrest
- Manual reclining driver seat
- Manual reclining passenger seat

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: RICK GROMOVSKY

CITY OF BEDFORD

Prepared by: Jenny Loveland

02/03/2026

Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125



2026 F-450 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F4H)

Price Level: 635

Selected Equip & Specs (cont'd)

- Manual passenger seat fore/aft control
- Vinyl front seat upholstery
- Manual driver seat lumbar

Entertainment Features

- 2 total number of 1st row displays
- Primary touchscreen display
- AM/FM
- AM radio
- Seek scan
- Standard grade speakers
- Steering wheel mounted audio controls
- Speed sensitive volume
- 8 inch primary display
- AM/FM stereo radio
- In-vehicle audio
- FM radio
- SYNC 4 external memory control
- Speakers number: 4
- SYNC 4 voice activated audio controls
- Fixed audio antenna

Lighting, Visibility and Instrumentation

- Digital/analog instrumentation display
- Trip odometer
- Compass
- Driver information center
- Oil pressure gauge
- Transmission fluid temperature gauge
- Gauge cluster display size (inches): 4.20
- Reflector headlights
- Autolamp auto on/off headlight control
- Delay-off headlights
- Variable intermittent front windshield wipers
- Front reading lights
- Daytime running lights
- Remote activated perimeter approach lighting
- Configurable instrumentation gauges
- Digital clock
- Exterior temperature display
- Tachometer
- Engine/electric motor temperature gauge
- Engine hour meter
- Light tinted windows
- Halogen headlights
- Multiple enclosed headlights
- DRL preference setting
- Illuminated entry
- Variable instrument panel light
- Cab clearance lights
- Fade interior courtesy lights

Technology and Telematics

- SYNC 4 911 Assist emergency SOS system via mobile device
- Smart device wireless mirroring
- 5G Modem - Ford Connectivity Package mobile hotspot internet access
- SYNC 4 handsfree wireless device connectivity
- Ford App mobile app access
- 2 USB ports

Safety and Security

- Driver front impact airbag
- Safety Canopy System curtain first-row overhead airbags
- Seat mounted side impact front passenger airbag
- Front height adjustable seatbelts
- Seat mounted side impact driver airbag
- Cancellable front passenger air bag
- 6 airbags
- SecuriLock immobilizer

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: RICK GROMOVSKY

CITY OF BEDFORD

Prepared by: Jenny Loveland

02/03/2026

Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125



2026 F-450 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F4H)

Price Level: 635

Selected Equip & Specs (cont'd)

- Ford Security Package (1-year included with activation) security system
- Lane Departure Warning
- * Rear mounted camera
- Remote panic alarm
- Pre-Collision Assist with Automatic Emergency Braking (AEB) forward collision mitigation

Dimensions

General Weights

Curb weight	6,858 lbs.	Rear curb weight	2,978 lbs.
GVWR	16,500 lbs.	Payload	9,570 lbs.

Trailer Weights

Fifth-wheel towing capacity	21,700 lbs.	Gooseneck towing capacity	21,900 lbs.
Conventional capacity	17,500 lbs.	GCWR	30,000 lbs.

Front Weights

Front curb weight	3,880 lbs.	* GAWR front	6,500 lbs.
Axle capacity front	7,000 lbs.	* Spring rating front	6,500 lbs.
Tire/wheel capacity front	7,500 lbs.		

Rear Weights

GAWR rear	12,880 lbs.	Axle capacity rear	12,880 lbs.
Spring rating rear	12,880 lbs.	Tire/wheel capacity rear	15,000 lbs.

Off Road

Min ground clearance	8.5"
----------------------	------

Exterior Measurements

Vehicle body length	230.7"	Vehicle body width	80.0"
Vehicle body height	82.4"	Wheelbase	145.0"
Front brake diameter	15.4"	Rear brake diameter	15.8"
Rear frame height loaded	29.8"	Rear frame height unloaded	35.1"
Front track	74.8"	Rear track	74.0"
Vehicle turning radius	21.2'	Cab to axle	60.0"
Rear tire outside width	93.9"	Axle to end of frame	47.2"
Frame section modulus	12.7 cu.in.	Frame yield strength (psi)	50000.0
Frame rail width	34.2"	Front bumper to front axle	38.3"
Front bumper to back of cab	123.7"		

Interior Measurements

Interior rear cargo volume	11.6 cu.ft.	Max interior rear cargo volume	11.6 cu.ft.
----------------------------	-------------	--------------------------------	-------------

Interior Volume

Total passenger volume	64.6 cu.ft.
------------------------	-------------

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: RICK GROMOVSKY

CITY OF BEDFORD

Prepared by: Jenny Loveland

02/03/2026



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2026 F-450 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F4H)

Price Level: 635

Selected Equip & Specs (cont'd)

Headroom

Headroom first-row 40.8"

Legroom

Leg room first-row 43.9"

Shoulder Room

Shoulder room first-row 66.7"

Hip Room

Hip room first-row 62.5"

Powertrain

Engine

Engine 7.3L V-8 DEVGT variable valve control, engine with 335HP

Valves per cylinder 2

Engine cylinders V-8

Injection type sequential MPI

Engine location Front mounted engine

Ignition Spark ignition system

Engine mounting direction Longitudinal mounted engine

Engine block material Iron engine block

Cylinder head material Aluminum cylinder head

Engine Specs

Displacement 7.3L

cc 445 cu.in.

Bore 4.21"

Stroke 3.98"

Compression ratio 10.5

SAEJ1349 AUG2004 compliant

Engine Power

Horsepower 335 HP@3750 RPM

Torque 468 lb.-ft.@3750 RPM

Alternator

* Alternator amps 250A

* Alternator type Dual alternator

* Alternator rating 160A

Battery

Battery amps 68Ah

* Battery type Dual lead acid battery

Battery rating 750CCA

Battery run down protection Battery run down protection

Engine Extras

Radiator Radiator

Auxiliary power take-off Auxiliary power take-off

Transmission

Transmission 10-speed automatic

Transmission electronic control Transmission electronic control

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: RICK GROMOVSKY

CITY OF BEDFORD

Prepared by: Jenny Loveland

02/03/2026



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2026 F-450 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F4H)

Price Level: 635

Selected Equip & Specs (cont'd)

Overdrive transmission Overdrive transmission
 First gear ratio 4.615
 Third gear ratio 2.132
 Fifth gear ratio 1.519
 Reverse gear ratio 4.695
 Eighth gear ratio 0.851
 Tenth gear ratio 0.632
 Selectable mode transmission Selectable mode transmission
 Transmission oil cooler Transmission oil cooler

Lock-up transmission Lock-up transmission
 Second gear ratio 2.919
 Fourth gear ratio 1.773
 Sixth gear ratio 1.277
 Seventh gear ratio 1
 Ninth gear ratio 0.687
 Stall ratio 1.97
 Sequential shift control SelectShift Sequential shift control
 PTO transmission provision PTO transmission provision

Drive Type

4WD type Part-time 4WD

Drive type Four-wheel drive

Drivetrain

Axle ratio 4.88

Exhaust

Tailpipe Stainless steel single exhaust

Fuel

Fuel type regular unleaded

Fuel Tank

Fuel tank capacity 40.00 gal.

Drive Feature

* Limited slip differential Mechanical limited slip differential

Traction control Driveline managed traction control

Locking hub control Auto locking hub control

Transfer case Electronic transfer case shift

Provisions

* Provisions Snow plow provisions

Fuel Economy and Emissions

Fuel Economy

Secondary fuel type Gasoline secondary fuel type

Emissions

Emissions Federal emissions

Suspension and Handling

Suspension

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: RICK GROMOVSKY

CITY OF BEDFORD

Prepared by: Jenny Loveland

02/03/2026



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2026 F-450 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F4H)

Price Level: 635

Selected Equip & Specs (cont'd)

Suspension.....	Firm ride suspension	Front shock absorbers.....	Heavy-duty front shock absorbers
Rear shock absorbers.....	Heavy-duty rear shock absorbers		

Driveability

Brakes

Brake type.....	4-wheel disc brakes	Ventilated brakes.....	Front and rear ventilated disc brakes
ABS brakes.....	Four channel ABS brakes	ABS brakes.....	4-wheel antilock (ABS) brakes

Brake Assistance

Hill start assist.....	Hill Start Assist	Brake assist system.....	Brake assist system
------------------------	-------------------	--------------------------	---------------------

Front Suspension

Front anti-roll.....	Front anti-roll bar	Suspension ride type front	Mono-beam rigid axle front suspension
----------------------	---------------------	----------------------------	---------------------------------------

Front Spring

• HD front springs.....	Heavy-duty front springs	Springs front.....	Front coil springs
-------------------------	--------------------------	--------------------	--------------------

Rear Spring

Springs rear.....	Rear leaf springs	Rear springs.....	Heavy-duty rear springs
-------------------	-------------------	-------------------	-------------------------

Rear Suspension

Rear anti-roll.....	Rear anti-roll bar	Suspension type rear.....	Leaf spring rear suspension
Suspension ride type rear	DANA M300 rigid axle rear suspension		

Steering

Steering.....	Hydraulic power-assist steering system	Steering type.....	Re-circulating ball steering
Steering type number of wheels.....	2-wheel steering system		

Exterior

Front Wheels

Front wheels diameter.....	19.5"	Front wheels width.....	6"
----------------------------	-------	-------------------------	----

Rear Wheels

Rear wheels diameter.....	19.5"	Rear wheels width.....	6"
---------------------------	-------	------------------------	----

Front And Rear Wheels

Appearance.....	argent	Material.....	steel
-----------------	--------	---------------	-------

Front Tires

Aspect.....	70	Diameter.....	19.5"
-------------	----	---------------	-------

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: RICK GROMOVSKY

CITY OF BEDFORD

Prepared by: Jenny Loveland

02/03/2026

Valley Truck Centers | 5715 Canal Rd., Cleveland Ohio | 44125



2026 F-450 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F4H)

Price Level: 635

Selected Equip & Specs (cont'd)

Sidewalls	BSW	Speed	S
Tread	AS	Type	LT
Width	225mm	Front wheel - RPM	647

Rear Tires

Aspect70	Diameter	19.5"
Sidewalls	BSW	Speed	S
Tread	AS	Type	LT
Width	225mm	Rear wheel - RPM	647

Body Exterior

Trailer

Towing wiring harness	Trailer wiring harness	* Towing brake controller	Trailer brake controller
Towing trailer sway	Trailer sway control		

Exterior Features

Number of doors	2 doors	* Running boards	Running boards
Front splash guards	Front splash guards		

Body

Body panels . Aluminum body panels with side impact beams

Mirrors

Convex spotter	Convex spotter in driver and passenger side door mirrors	Turn signal in door mirrors	Turn signal indicator in door mirrors
----------------------	--	-----------------------------------	---------------------------------------

Tires

Front tires LT load rating	G	Rear tires LT load rating	G
----------------------------------	---	---------------------------------	---

Wheels

Dual rear wheels

Convenience

Door Locks

Door locks ..	Power door locks with 2 stage unlocking	Keyfob door locks	Keyfob activated door locks
All-in-one key ..	All-in-one remote fob and ignition key	Auto door locks	Auto-locking doors

Cruise Control

Cruise control

Rear View Mirror

Day/Night rearview mirror

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: RICK GROMOVSKY

CITY OF BEDFORD

Prepared by: Jenny Loveland

02/03/2026



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2026 F-450 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F4H)

Price Level: 635

Selected Equip & Specs (cont'd)

Exterior Mirrors

Door mirrors	Power door mirrors	Folding door mirrors	Manual folding door mirrors
Heated door mirrors	Heated driver and passenger side door mirrors		

Front Side Windows

First-row windows	Power first-row windows
-------------------	-------------------------

Overhead Console

Overhead console	Full overhead console	Overhead console storage	Overhead console storage
------------------	-----------------------	--------------------------	--------------------------

Passenger Visor

Visor passenger mirror	Passenger visor mirror
------------------------	------------------------

Power Outlets

12V power outlets	2 12V power outlets
-------------------	---------------------

Rear Windshield

Rear windshield	Fixed rear windshield
-----------------	-----------------------

Storage

Number of beverage holders	6 beverage holders	Beverage holders	Front beverage holders
Glove box	Locking glove box	Instrument panel storage	Instrument panel covered bin
Dashboard storage	Dashboard storage		

Windows Feature

One-touch up window	Driver and passenger one-touch up windows	One-touch down window	Driver and passenger one-touch down windows
---------------------	---	-----------------------	---

Miscellaneous

Trip computer	Trip computer	PRND in IP	PRND in IP
Upfitter switches	Upfitter switches	Accessory power	Retained accessory power
Over the air updates	Over the air updates		

Comfort

Climate Control

Climate control	Manual climate control	Cabin air filter	Cabin air filter
-----------------	------------------------	------------------	------------------

Headliner

Headliner material	Cloth headliner material	Headliner coverage	Full headliner coverage
--------------------	--------------------------	--------------------	-------------------------

Floor Trim

Floor covering	Full vinyl floor covering	Floor coverage	Full floor coverage
----------------	---------------------------	----------------	---------------------

Steering Wheel

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: RICK GROMOVSKY

CITY OF BEDFORD

Prepared by: Jenny Loveland

02/03/2026



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2026 F-450 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F4H)

Price Level: 635

Selected Equip & Specs (cont'd)

Steering wheel material . . . Urethane steering wheel

Steering wheel telescopic Manual telescopic steering wheel

Steering wheel tilt . . . Manual tilting steering wheel

Seats and Trim

Seat Capacity

Seating capacity 3

Front Seats

Front seat type Split-bench front seat

Driver seat direction Driver seat with 4-way directional controls

Driver seat fore/aft control Manual driver seat fore/aft control

Passenger seat direction Front passenger seat with 4-way directional controls

Split front seats 40-20-40 split-bench front seat

Reclining passenger seat Manual reclining passenger seat

Passenger seat fore/aft control . . . Manual passenger seat fore/aft control

Front head restraints . . . Height adjustable front seat head restraints

Front head restraint control Manual front seat head restraint control

Armrests front center Front seat center armrest

Armrests front storage . . . Front seat armrest storage

Reclining driver seat . . . Manual reclining driver seat

Lumbar Seats

Driver lumbar Manual driver seat lumbar

Front Seat Trim

Front seat upholstery Vinyl front seat upholstery

Front seatback upholstery Vinyl front seatback upholstery

Interior Accents

Interior accents Chrome interior accents

Gearshifter Material

Gearshifter material . . . Urethane gear shifter material

Entertainment Features

Displays

Primary touchscreen display . . Primary touchscreen display

Number of first-row displays 2 total number of 1st row displays

Primary display size 8 Inch primary display

Radio Features

External memory. SYNC 4 external memory control

Seek scan Seek scan

Speakers

Speakers Standard grade speakers

Speakers number 4

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: RICK GROMOVSKY

CITY OF BEDFORD

Prepared by: Jenny Loveland

02/03/2026



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2026 F-450 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F4H)

Price Level: 635

Selected Equip & Specs (cont'd)

Audio Features

Steering mounted audio control Steering wheel mounted audio controls

Voice activated audio .SYNC 4 voice activated audio controls

Speed sensitive volume . . . Speed sensitive volume

Lighting, Visibility and Instrumentation

Instrumentation

Trip odometer. Trip odometer

Instrumentation display Digital/analog instrumentation display

Configurable instrumentation gauges . . . Configurable instrumentation gauges

Instrumentation Displays

Temperature display . Exterior temperature display
Clock Digital clock

Driver information center . Driver information center
Compass Compass

Instrumentation Gauges

Tachometer. Tachometer
Transmission temperature gauge . Transmission fluid temperature gauge
Gauge cluster display size (inches) 4.20

Oil pressure gauge Oil pressure gauge
Engine/electric motor temperature gauge . . . Engine/electric motor temperature gauge
Engine hour meter. Engine hour meter

Instrumentation Warnings

Engine temperature warning Engine temperature warning
Low fuel warning Low fuel warning
Battery charge warning Battery charge warning
Key in vehicle warning Key in vehicle warning
Service interval warning Service interval indicator

Oil pressure warning. Oil pressure warning
Low brake fluid warning Low brake fluid warning
Headlights on reminder Headlights on reminder
Door ajar warning Door ajar warning
Low tire pressure warning Tire specific low air pressure warning

Glass

Tinted windows Light tinted windows

Headlights

Headlights Halogen headlights
Auto headlights Autolamp auto on/off headlight control
Delay off headlights Delay-off headlights

Headlight type. Reflector headlights
Multiple headlights Multiple enclosed headlights
DRL preference setting DRL preference setting

Front Windshield

Wipers Variable intermittent front windshield wipers

Interior Lighting

Illuminated entry. Illuminated entry

Variable panel light Variable instrument panel light

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: RICK GROMOVSKY
CITY OF BEDFORD

Prepared by: Jenny Loveland
02/03/2026



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2026 F-450 Chassis 4x4 SD Regular Cab 145" WB DRW XL (F4H)

Price Level: 635

Selected Equip & Specs (cont'd)

Front reading lights. Front reading lights

Lights

Running lights. Daytime running lights
Clearance lights. Cab clearance lights

Interior courtesy lights. Fade interior courtesy lights
Perimeter approach lighting. Remote activated
perimeter approach lighting

Technology and Telematics

Connectivity

Handsfree. SYNC 4 handsfree wireless device
connectivity
Emergency SOS SYNC 4 911 Assist emergency SOS
system via mobile device

Smart device integration. Smart device wireless
mirroring

Internet Access

Internet access. 5G Modem - Ford Connectivity
Package mobile hotspot Internet access

USB Ports

USB ports. 2 USB ports

Safety and Security

Airbags

Front impact airbag driver. Driver front impact airbag
Front impact airbag passenger. Cancellable front
passenger air bag
Front side impact airbag passenger. Seat mounted
side impact front passenger airbag

Number of airbags. 6 airbags
Front side impact airbag driver. Seat mounted side
impact driver airbag
Overhead airbags Safety Canopy System curtain first-
row overhead airbags

Seatbelts

Height adjustable seatbelts. Front height adjustable
seatbelts

Security System

Immobilizer. SecurILock Immobilizer
Security system. Ford Security Package (1-year
included with activation) security system

Remote panic alarm. Remote panic alarm

Active Driving Assistance

Lane departure. Lane Departure Warning

Forward collision warning. Pre-Collision Assist with
Automatic Emergency Braking (AEB) forward
collision mitigation

Cameras

*Rear camera. Rear mounted camera

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.