

May 5, 1998

**ORDINANCE NO. 8908(NEW SERIES)**

**AN ORDINANCE OF THE WINTER GARDENS SEWER MAINTENANCE DISTRICT REPEALING ORDINANCE 8678(NS) AND SETTING SEWER SERVICE CHARGES FOR THE WINTER GARDENS SEWER MAINTENANCE DISTRICT BASED UPON STRENGTH AND FLOW OF WASTEWATER**

The Board of Supervisors of the County of San Diego acting for and on behalf of the Winter Gardens Sewer Maintenance District, ordains as follows.

**SECTION 1.** San Diego County Ordinance No.8678 (NS) is repealed and the factors for determining sewer service charges in Ordinance 8883, the Uniform Sewer Ordinance are as follows.

**SECTION 2. FORMULA FOR DETERMINING SEWER SERVICE CHARGES**  
For the Winter Gardens Sewer Maintenance District the factors in the formula for determining Sewer Service Charges of Section 50.1 of County Ordinance 8883 (NS) the Uniform Sewer Ordinance is as follows:

$$SSC = \$ 68.89(n) + \$1,062.78(f) + \$0.4379(b) + \$0.3834(s)$$

In the above formula, the following terms have the meanings and definitions as shown:

n = Number of equivalent dwelling units (EDUs) assigned to a particular user. EDUs are assigned in accordance with the Uniform Sewerage Ordinance. Assignments: 1.0 EDU each for single family dwellings and condominiums; 0.8 EDU each for multi-family dwellings; and 0.65 EDU each for mobile homes. Commercial/Industrial users are assigned a minimum of 1.2 EDUs, and additional EDUs may be assigned based upon the Uniform Sewerage Ordinance.

f = Flow of a particular user in million gallons per year, based either upon assigned EDUs or potable water meter records.

b = BOD of a particular user in pounds per year, based either upon State standards or comparable industry standards approved by the State.

Ordinance No. 8908 (New Series)  
5/5/98 (21)

s = Suspended Solids of a particular user in pounds per year, based either upon State standards or comparable industry standards approved by the State.

SSC = Annual sewer service charge of a particular user.

For the purposes of this ordinance the values for the above wastewater characteristics are determined from the current edition of the California State Water Resources Control Board publication POLICY FOR IMPLEMENTING THE STATE REVOLVING FUND FOR CONSTRUCTION OF WASTEWATER TREATMENT FACILITIES.

The SSC for the Winter Gardens Sewer Maintenance District for residential units are as follows:

Type	Assigned Capacity (EDUs)	Estimated Flow gallons per day	Annual SSC \$
Single Family	1	240	282
Condominium	1	240*	282
Multi-Family	0.8	193*	233
Mobile Home	0.65	156*	183

\* Note that rates may be adjusted to reflect flow based upon potable water records.

**SECTION 3. Effective Date.**

This Ordinance shall take effect and be in force thirty on July 1, 1998. Within (30) days after the date of its passage, and before the expiration of thirty (30) days after its passage, a summary shall be published once with the names of members voting for and against the same in the San Diego Commerce, a newspaper of general circulation published in the County of San Diego. A certified copy of the full text of this ordinance shall be posted at the office of the Clerk of the Board of Supervisors, 1600 Pacific Highway, Room 402, San Diego, California 92101 with the names of those Directors voting for and against the ordinance.

PASSED, APPROVED AND ADOPTED THIS 5TH DAY OF MAY, 1998.